

Anger

DNA Health Report

REPORT CATEGORY —



Sample Client

Report date: 15 January 2026

Table of Contents

03 How this works

- 04 Impact
- 05 Evidence
- 06 Some things to keep in mind

07 Introduction

08 Your genetics

09 Your recommendations

13 Next Steps

- 13 Your Lab Results

DISCLAIMER

This report does not diagnose this or any other health conditions. Please talk to a healthcare professional if this condition runs in your family, you think you might have this condition, or you have any concerns about your results.

Personal information

NAME

Sample Client

SEX AT BIRTH


Male

HEIGHT

5ft 5" 165cm


WEIGHT

137lb 62kg



How this works

Our Wellness Reports analyze how your DNA influences your health.
We then use this analysis to give you personalized risk estimates and recommendations.




Similarly, our Trait Reports look at how your DNA influences your traits.



Your DNA is like an instruction manual — it contains a lot of information.
You can think of it as a blueprint for your body.

Genetic variants are parts of DNA that differ from person to person. Some can make you more vulnerable to certain health issues, while others may influence traits such as eye color.



We use artificial intelligence and machine learning to analyze all this information.
We then summarize your results as a risk score or display it on a gauge.

In total, we analyze up to 83 million genetic variants.

When we give a risk score, the risk icon tells you if you are at a higher or lower risk compared to other people:



Genotype color info:

AA

You don't have any risk alleles

AA

You have 1 risk allele

AA


You have 2 risk alleles

Your risk is also displayed as a percentile. This will tell you how your risks compare to our sample population. The lower your percentile number, the lower your risk. The "50th percentile" would be an average risk.

Similarly, the gauge tells you your relative risk score compared to our sample population, or it indicates a specific trait or haplotype you are more likely to have based on your genetic variants.

When applicable, we also list top evidence-based recommendations that may help lower your risk. The focus is on recommendations that may be of benefit to you, based on your genetics.

Our recommendations come in four categories: lifestyle, diet, supplements and drugs.
The following icons tell you which category a recommendation falls into:



Our team of scientists also ranks each recommendation.
We rank based on impact and the strength of evidence in the medical literature.

Impact shows how strongly a recommendation will affect your health in a certain area.
Evidence is how much scientific support there is for the recommendation. Rankings are from 1 to 5 (low to high):



Impact

Impact scores range from 1-5. These scores reflect how much of an effect each recommendation can have. An impact score of 5 predicts the biggest effect.

When a recommendation affects something we can measure, we use those measurements to assign the impact score. For example, a recommendation that decreases cholesterol by 20% will have a higher impact score than one that decreases it by 5%.

Some recommendations affect things that we cannot directly measure, like stress or mood. For these, the impact score is based on how well they work relative to other recommendations and standard treatments. The best ones get the highest scores.

If there is a lot of research that shows a recommendation works especially well for your genotype, the impact score gets increased.

Recommendation Evidence

- 5 / 5
- Recommendations that are considered effective and generally recommended by experts and medical bodies.
-
- 4 / 5
- Recommendations that are considered likely effective and that have multiple independent meta-analyses and a great many studies supporting them.
-
- 3 / 5
- Recommendations that are considered possibly effective and have many studies supporting them
-
- 2 / 5
- Recommendations that have insufficient evidence, with two or several clinical trials supporting them, or many studies but with ambiguous results.
-
- 1 / 5
- Recommendations that have insufficient evidence, with a single clinical trial, or with many studies most of which didn't find support for the recommendation.
-
- 0 / 5
- No evidence in humans.

Genotype-specific Evidence

- High-quality
- Direct evidence that a recommendation helps more in people with your gene variant (many clinical trials, a few large clinical trials, or a meta-analysis).
- Medium-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a few clinical trials or one large clinical trial).
- Low-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a single clinical trial or more trials with inconsistent results).
- Indirect
- A recommendation may help more in people with your gene variant because it targets a specific gene or protein affected by your variant (e.g., MTHFR, dopamine).
- In theory
- A recommendation may help more in people with your gene variant because it targets a specific mechanism affected by your variant (e.g., inflammation, oxidative stress).

Some things to keep in mind:

- Genetics doesn’t play a considerable role in a condition or a trait.
- There is not enough research available to estimate a genetic predisposition.
- There are technical limitations to estimating or presenting a genetic predisposition.
- The topic is sensitive, and a genetic predisposition should only be estimated and presented by a healthcare professional.

Introduction

Anger is a natural, healthy emotion. But when it becomes chronic or uncontrollable, it can lead to problems with:

- Relationships
- Work
- Overall well-being

An angry temperament or excessive angry reactions often indicate an underlying issue or pattern of behavior that needs addressing.

Common manifestations of excessive anger include:

- Frequent irritability or feelings of frustration.
- Physical symptoms (e.g., clenched fists, grinding teeth, or feeling hot)
- Aggressive behaviors (e.g., shouting, physical confrontations, or property damage).
- Difficulty handling disagreements calmly or constructively.
- Persistent negative or critical thoughts.
- Feeling like you have to hold in or hide your anger.
- Feeling out of control when angry.

Risk Factors and Genetics

Up to **20%** of the differences in anger may be due to **genetics** [R].

People with certain genetic markers may be predisposed to aggressive behaviors or heightened anger responses. However, genes alone don't dictate behavior. The following factors also play significant roles in how anger is expressed and managed:

- Chronic stress
- A family environment where anger was expressed violently or aggressively
- Past trauma or abuse.
- Chronic pain or certain medical conditions.
- Certain mental health disorders (e.g., depression, ADHD, or borderline personality disorder)
- Substance misuse (alcohol or illegal) drugs



MORE LIKELY

More likely to feel angry based on 14 genetic variants we looked at



Your top variants that most likely impact your genetic predisposition:

GENE	SNP	GENOTYPE
PLEK	rs7578047	AA
/	rs6834498	CC
E2F3	rs555017	AA
TRIM31	rs2844775	GG
CSE1L	rs6012564	GG
UQCRFS1	rs8102754	TT
DPY19L1	rs6954895	TC
QSER1	rs16924133	AA
ABAT	rs1299926	AA
GREM2	rs16840114	AA
FYN	rs2148710	CC
PNLIP	rs12249434	CC
PHEX	rs3752433	C
IYD	rs670292	GG

The number of "risk" variants in this table doesn't necessarily reflect your overall result.

Your Recommendations

Your recommendations are prioritized according to the likelihood of it having an impact for you based on your genetics, along with the amount of scientific evidence supporting the recommendation.

You’ll likely find common healthy recommendations at the top of the list because they are often the most impactful and most researched.

DOSAGE		DOSAGE			
1	Progressive Muscle Relaxation	10 minutes	2	Acceptance and Commitment Therapy (ACT)	
3	Aerobic Exercise (Cardio)	1 hour	4	Mindfulness-Based Stress Reduction (MBSR)	2 hours
5	Cognitive-Behavioral Therapy (CBT)				

1



Progressive Muscle Relaxation

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Set aside at least 10-15 minutes daily in a quiet, comfortable spot where you won't be disturbed. Start by tensing the muscles in your feet for 5 seconds, then relax for 30 seconds, and progressively work your way up through the major muscle groups of your body, tensing then relaxing each for 5 and 30 seconds respectively.

TYPICAL STARTING DOSE

10 minutes

Description

Progressive Muscle Relaxation is a relaxation technique involving the systematic tensing and releasing of muscle groups to reduce muscle tension, stress, and anxiety. Regular practice can lead to improved physical and mental relaxation.

Progressive muscle relaxation is a relaxation technique focused on releasing muscle tension. In this technique, you focus on tensing and relaxing different parts of your body, one after the other, to relieve stress [R](#), [R](#)].

It is common to start with the toes and slowly work your way up to the neck and head. Try to focus on a single muscle group at a time (for example, the calf muscles). Tense these muscles for 5-10 seconds, then relax for 20-30 seconds before moving on to the next muscle group [R](#), [R](#)].

How it helps

This technique involves tensing and then relaxing different muscle groups to reduce physical tension. It can help decrease the physiological arousal that accompanies anger.

2



Acceptance and Commitment Therapy (ACT)

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Participate in Acceptance and Commitment Therapy (ACT) sessions with a licensed therapist weekly for a minimum of 8 to 12 weeks. During this period, engage in daily ACT exercises at home as recommended by your therapist, such as mindfulness practices and writing exercises that help you connect with your values and accept your thoughts without judgment.

Description

ACT is a type of psychotherapy that focuses on accepting one's thoughts and feelings while committing to actions that align with personal values. It is used to improve mental well-being and treat conditions like anxiety and depression.

How it helps

ACT helps individuals accept their emotions and use mindfulness to manage anger effectively. It teaches people to focus on values and actions rather than getting caught up in negative emotions.

3



Aerobic Exercise (Cardio)

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Engage in at least 150 minutes of moderate-intensity aerobic exercise or 75 minutes of vigorous-intensity activity each week. Distribute this time over at least 3 days per week, avoiding consecutive days of vigorous exercise to allow for recovery.

TYPICAL STARTING DOSE

1 hour

Description

Engaging in regular aerobic exercise, such as running, swimming, or cycling, offers numerous health benefits, including improved cardiovascular fitness, weight management, and mood enhancement. It supports overall physical and mental well-being while reducing the risk of chronic diseases.

Cardio, short for cardiovascular exercise, is any type of physical activity that temporarily increases your heart rate. Examples include **running, cycling, swimming, and brisk walking**.

Regular cardio exercise has many benefits for your overall health. It can help lower your risk of heart disease and diabetes, support weight loss, and improve your mood and energy levels. To get the most out of cardio, try to do it for at **least 30 minutes, 3-5 times a week**.

Interval training is a type of cardio that combines periods of high-intensity training with brief rest periods.

How it helps

Aerobic exercise can reduce anger by releasing endorphins, which elevate mood and reduce stress. Regular physical activity also improves overall emotional regulation.

4



Mindfulness-Based Stress Reduction (MBSR)

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Enroll in an 8-week MBSR course, which includes a weekly 2.5-hour class, one all-day class after the sixth week, and 45 minutes of daily home practice guided by assignments and instructional recordings.

TYPICAL STARTING DOSE

2 hours

Description

Mindfulness-Based Stress Reduction (MBSR) is a structured program that teaches mindfulness techniques to reduce stress and improve overall mental and emotional health. MBSR has been shown to help individuals cope with chronic pain, anxiety, and other stress-related conditions.

How it helps

MBSR involves mindfulness meditation techniques that help individuals become more aware of their emotions. This awareness allows one to manage anger by reducing reactivity and promoting a calm state of mind.

5



Cognitive-Behavioral Therapy (CBT)

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Schedule weekly sessions with a certified cognitive-behavioral therapist for a period of 5 to 20 weeks. Engage actively in exercises assigned by your therapist both during sessions and as homework to apply CBT strategies to daily life.

Description

Cognitive-behavioral therapy (CBT) is a psychotherapeutic approach that has been effective in treating various mental health conditions by helping individuals identify and change negative thought patterns and behaviors. It is widely used for conditions like depression, anxiety, and phobias.

Psychotherapy (talk therapy) involves talking about your health with a licensed therapist. It may improve the way you react to certain experiences [\[R\]](#).

Talk therapy is a great way to improve many conditions, including [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Depression
- Anxiety disorders
- PTSD
- OCD
- Substance use disorder
- Bipolar disorder

Cognitive-behavioral therapy (CBT) is a type of talk therapy. CBT aims to change the way you think about your life and yourself. Through CBT, a therapist can help you develop healthy coping mechanisms [\[R\]](#).

How it helps

CBT addresses the thought patterns that contribute to anger. It helps people reframe negative thoughts and teaches coping strategies for managing anger triggers.

Next Steps

Remember, your genes only tell one important part of your health story!

Now that you've seen your DNA-based results for this health topic, let's take a look at other contributing factors.

Your lab results

Your lab results are impacted by the combined effect of your genes, environment and lifestyle.

Lab tests will give you the best picture of your current health status, while your genes provide insight into your health predispositions and which recommendations are best for you.