

CYP24A1 (Vitamin D)

Gene Report

REPORT CATEGORY —



Sample Client

Report date: 15 January 2026

Powered by

 omicsedge

Table of Contents

03 How this works

- 04 Impact
- 05 Evidence
- 06 Some things to keep in mind

07 Introduction

08 Your genetics

DISCLAIMER

This report does not diagnose this or any other health conditions. Please talk to a healthcare professional if this condition runs in your family, you think you might have this condition, or you have any concerns about your results.

Personal information

NAME

Sample Client

SEX AT BIRTH


Male

HEIGHT

5ft 5" 165cm


WEIGHT

137lb 62kg



How this works

Our Wellness Reports analyze how your DNA influences your health.
We then use this analysis to give you personalized risk estimates and recommendations.




Similarly, our Trait Reports look at how your DNA influences your traits.



Your DNA is like an instruction manual — it contains a lot of information.
You can think of it as a blueprint for your body.

Genetic variants are parts of DNA that differ from person to person. Some can make you more vulnerable to certain health issues, while others may influence traits such as eye color.



We use artificial intelligence and machine learning to analyze all this information.
We then summarize your results as a risk score or display it on a gauge.

In total, we analyze up to 83 million genetic variants.

When we give a risk score, the risk icon tells you if you are at a higher or lower risk compared to other people:



Genotype color info:

AA

You don't have any risk alleles

AA

You have 1 risk allele

AA


You have 2 risk alleles

Your risk is also displayed as a percentile. This will tell you how your risks compare to our sample population. The lower your percentile number, the lower your risk. The "50th percentile" would be an average risk.

Similarly, the gauge tells you your relative risk score compared to our sample population, or it indicates a specific trait or haplotype you are more likely to have based on your genetic variants.

When applicable, we also list top evidence-based recommendations that may help lower your risk. The focus is on recommendations that may be of benefit to you, based on your genetics.

Our recommendations come in four categories: lifestyle, diet, supplements and drugs. The following icons tell you which category a recommendation falls into:



Our team of scientists also ranks each recommendation.
We rank based on impact and the strength of evidence in the medical literature.

Impact shows how strongly a recommendation will affect your health in a certain area.
Evidence is how much scientific support there is for the recommendation. Rankings are from 1 to 5 (low to high):



Impact

Impact scores range from 1-5. These scores reflect how much of an effect each recommendation can have. An impact score of 5 predicts the biggest effect.

When a recommendation affects something we can measure, we use those measurements to assign the impact score. For example, a recommendation that decreases cholesterol by 20% will have a higher impact score than one that decreases it by 5%.

Some recommendations affect things that we cannot directly measure, like stress or mood. For these, the impact score is based on how well they work relative to other recommendations and standard treatments. The best ones get the highest scores.

If there is a lot of research that shows a recommendation works especially well for your genotype, the impact score gets increased.

Recommendation Evidence

- 5 / 5
- Recommendations that are considered effective and generally recommended by experts and medical bodies.
-
- 4 / 5
- Recommendations that are considered likely effective and that have multiple independent meta-analyses and a great many studies supporting them.
-
- 3 / 5
- Recommendations that are considered possibly effective and have many studies supporting them
-
- 2 / 5
- Recommendations that have insufficient evidence, with two or several clinical trials supporting them, or many studies but with ambiguous results.
-
- 1 / 5
- Recommendations that have insufficient evidence, with a single clinical trial, or with many studies most of which didn't find support for the recommendation.
-
- 0 / 5
- No evidence in humans.

Genotype-specific Evidence

- High-quality
- Direct evidence that a recommendation helps more in people with your gene variant (many clinical trials, a few large clinical trials, or a meta-analysis).
-
- Medium-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a few clinical trials or one large clinical trial).
-
- Low-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a single clinical trial or more trials with inconsistent results).
-
- Indirect
- A recommendation may help more in people with your gene variant because it targets a specific gene or protein affected by your variant (e.g., MTHFR, dopamine).
-
- In theory
- A recommendation may help more in people with your gene variant because it targets a specific mechanism affected by your variant (e.g., inflammation, oxidative stress).

Some things to keep in mind:

- Genetics doesn’t play a considerable role in a condition or a trait.
- There is not enough research available to estimate a genetic predisposition.
- There are technical limitations to estimating or presenting a genetic predisposition.
- The topic is sensitive, and a genetic predisposition should only be estimated and presented by a healthcare professional.

Introduction

The [CYP24A1](#) encodes an enzyme a member of the cytochrome P450 monooxygenase superfamily of enzymes. These proteins eliminate most drugs from the body. CYP24A1 catalyzes reactions involved in drug metabolism and synthesis of cholesterol, steroids, and other lipids [\[R\]](#).

Importantly, CYP24A1 regulates the level of active vitamin D3, so it plays a role in calcium homeostasis and the [vitamin D](#) endocrine system. **Your body needs vitamin D for strong bones.** It also plays a role in [\[R\]](#):

- Mood
- Immunity
- Heart health
- Blood sugar control

CYP24A1 catalyzes the NADPH-dependent 24-hydroxylation of calcidiol (25-hydroxyvitamin D3) and calcitriol (1,25-dihydroxyvitamin D3) into inactive metabolites when the vitamin is no longer needed. The enzyme can perform up to 6 rounds of hydroxylation of calcitriol to calcitroic acid. It also shows 23-hydroxylating activity, leading to 1-alpha,25-dihydroxyvitamin D(3)-26,23-lactone as an endproduct [\[R\]](#), [\[R\]](#).

CYP24A1

Genetics

The best-characterized *CYP24A1* polymorphism is [rs6013897](#). Its minor ‘A’ allele has been associated with lower vitamin D levels and reduced effectiveness of vitamin D supplementation, suggesting increased CYP24A1 activity. This variant has also been associated with [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Lower BMD [\[R\]](#)
- Higher fasting glucose in pregnant women [\[R\]](#)
- Increased risk of colorectal cancer [\[R\]](#)
- Increased risk of breast cancer [\[R\]](#)
- Increased risk of attempted suicide [\[R\]](#)
- Increased risk of schizophrenia [\[R\]](#)
- Increased risk of cirrhosis and liver cancer [\[R\]](#)
- Decreased risk of aggressive prostate cancer [\[R\]](#), [\[R\]](#)
- Decreased risk of tuberculosis [\[R\]](#)
- Better survival in glioma patients [\[R\]](#)

Another well-researched polymorphism is [rs2248359](#). Its major ‘C’ allele may increase *CYP24A1* expression in the prefrontal cortex, leading to lower baseline vitamin D levels. This alle has also been associated with [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Increased risk of multiple sclerosis [\[R\]](#), [\[R\]](#), [\[R\]](#)
- Increased risk of eczema [\[R\]](#)
- Higher leucocyte counts [\[R\]](#)
- Decreased risk of type 2 diabetes [\[R\]](#)
- Decreased risk of NAFLD [\[R\]](#)
- Decreased risk of CKD in people with hypertension [\[R\]](#)
- Decreased risk of chronic hepatitis C infection [\[R\]](#)

Finally, the major ‘A’ allele of [rs4809957](#) has been associated with lower vitamin D levels, as well as with [\[R\]](#):

- Increased risk of breast cancer [\[R\]](#), [\[R\]](#)
- Increased risk of pancreatic cancer [\[R\]](#)
- Increased risk of colorectal cancer [\[R\]](#)
- Increased risk of ulcerative colitis [\[R\]](#)
- Increased risk of lung cancer and worse survival [\[R\]](#), [\[R\]](#)
- Increased risk of NSAID-induced gastrointestinal bleeding [\[R\]](#), [\[R\]](#)
- Decreased risk of vitamin D deficiency in type 2 diabetes patients [\[R\]](#)



TYPICAL ACTIVITY

Likely typical CYP24A1 activity based on 3 genetic variants we looked at

Your top variants that most likely impact your genetic predisposition:

GENE	SNP	GENOTYPE
BCAS1	rs6013897	TA
CYP24A1	rs2248359	CT
CYP24A1	rs4809957	AA

The number of "risk" variants in this table doesn't necessarily reflect your overall result.