

DNMT3B (Methylation)

Gene Report

REPORT CATEGORIES —



NUTRITION



DETOX

Sample Client

Report date: 15 January 2026

Powered by

 omicsedge



Table of Contents

03 How this works

- 04 Impact
- 05 Evidence
- 06 Some things to keep in mind

07 Introduction

08 Your genetics

09 Your recommendations

DISCLAIMER

This report does not diagnose this or any other health conditions. Please talk to a healthcare professional if this condition runs in your family, you think you might have this condition, or you have any concerns about your results.

Personal information

NAME

Sample Client

SEX AT BIRTH

Male

HEIGHT

5ft 5" 165cm

WEIGHT

137lb 62kg



How this works

Our Wellness Reports analyze how your DNA influences your health.
We then use this analysis to give you personalized risk estimates and recommendations.



Similarly, our Trait Reports look at how your DNA influences your traits.



Your DNA is like an instruction manual — it contains a lot of information.
You can think of it as a blueprint for your body.

Genetic variants are parts of DNA that differ from person to person. Some can make you more vulnerable to certain health issues, while others may influence traits such as eye color.



We use artificial intelligence and machine learning to analyze all this information.
We then summarize your results as a risk score or display it on a gauge.

In total, we analyze up to 83 million genetic variants.

When we give a risk score, the risk icon tells you if you are at a higher or lower risk compared to other people:



Genotype color info:

AA

You don't have any risk alleles

AA

You have 1 risk allele

AA

You have 2 risk alleles

Your risk is also displayed as a percentile. This will tell you how your risks compare to our sample population. The lower your percentile number, the lower your risk. The "50th percentile" would be an average risk.

Similarly, the gauge tells you your relative risk score compared to our sample population, or it indicates a specific trait or haplotype you are more likely to have based on your genetic variants.

When applicable, we also list top evidence-based recommendations that may help lower your risk. The focus is on recommendations that may be of benefit to you, based on your genetics.

Our recommendations come in four categories: lifestyle, diet, supplements and drugs.
The following icons tell you which category a recommendation falls into:



Our team of scientists also ranks each recommendation.
We rank based on impact and the strength of evidence in the medical literature.

Impact shows how strongly a recommendation will affect your health in a certain area.
Evidence is how much scientific support there is for the recommendation. Rankings are from 1 to 5 (low to high):



Impact

Impact scores range from 1-5. These scores reflect how much of an effect each recommendation can have. An impact score of 5 predicts the biggest effect.

When a recommendation affects something we can measure, we use those measurements to assign the impact score. For example, a recommendation that decreases cholesterol by 20% will have a higher impact score than one that decreases it by 5%.

Some recommendations affect things that we cannot directly measure, like stress or mood. For these, the impact score is based on how well they work relative to other recommendations and standard treatments. The best ones get the highest scores.

If there is a lot of research that shows a recommendation works especially well for your genotype, the impact score gets increased.

Recommendation Evidence

- 5 / 5
- Recommendations that are considered effective and generally recommended by experts and medical bodies.
-
- 4 / 5
- Recommendations that are considered likely effective and that have multiple independent meta-analyses and a great many studies supporting them.
-
- 3 / 5
- Recommendations that are considered possibly effective and have many studies supporting them
-
- 2 / 5
- Recommendations that have insufficient evidence, with two or several clinical trials supporting them, or many studies but with ambiguous results.
-
- 1 / 5
- Recommendations that have insufficient evidence, with a single clinical trial, or with many studies most of which didn't find support for the recommendation.
-
- 0 / 5
- No evidence in humans.

Genotype-specific Evidence

- High-quality
- Direct evidence that a recommendation helps more in people with your gene variant (many clinical trials, a few large clinical trials, or a meta-analysis).
-
- Medium-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a few clinical trials or one large clinical trial).
-
- Low-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a single clinical trial or more trials with inconsistent results).
-
- Indirect
- A recommendation may help more in people with your gene variant because it targets a specific gene or protein affected by your variant (e.g., MTHFR, dopamine).
-
- In theory
- A recommendation may help more in people with your gene variant because it targets a specific mechanism affected by your variant (e.g., inflammation, oxidative stress).

Some things to keep in mind:

- Genetics doesn’t play a considerable role in a condition or a trait.
- There is not enough research available to estimate a genetic predisposition.
- There are technical limitations to estimating or presenting a genetic predisposition.
- The topic is sensitive, and a genetic predisposition should only be estimated and presented by a healthcare professional.

Introduction

The [DNMT3B](#) gene helps make an enzyme called DNA Methyltransferase 3B. This enzyme performs DNA methylation, using SAM-e as a methyl donor. SAM-e gets converted to SAH and later to homocysteine [\[R\]](#).

DNA methyltransferase 3B (DNMT3B) is responsible for de novo methylation, adding methyl groups to previously unmethylated DNA. This activity is essential for various biological processes.

DNMT3B Variant and Methylation

One DNMT3B variant, **rs2424913-T**, has shown links with several traits related to methylation [R, R]:


- Folate deficiency anemia
- Increased toxicity and reduced effectiveness of methotrexate
- Liver disease
- High blood sugar

The mechanism behind these findings is unclear. One possibility is that the variant increases DNMT3B activity, thus spending too much SAM-e for DNA methylation and depleting it from other pathways. Another possibility is that the variant reduces DNMT3B activity, thus impairing DNA methylation [R].



TYPICAL GENETICS

Likely typical DNMT3B genetics based on the genetic variants we looked at



Your top variants that most likely impact your genetic predisposition:

GENE	SNP	GENOTYPE
DNMT3B	rs2424913	TC

The number of "risk" variants in this table doesn't necessarily reflect your overall result.

Your Recommendations

Your recommendations are prioritized according to the likelihood of it having an impact for you based on your genetics, along with the amount of scientific evidence supporting the recommendation.

You'll likely find common healthy recommendations at the top of the list because they are often the most impactful and most researched.

DOSAGE		DOSAGE		
1	Methylfolate	400 mcg	2	Dietary Folate
3	SAM-e	400 mg		

1



Methylfolate

IMPACT

4 / 5

EVIDENCE

3 / 5

How to implement

Take an L-methyl folate supplement (400-800 micrograms daily), ideally with a meal, to improve absorption. This dosage is recommended for adults, including pregnant women, to support overall health, especially to reduce the risk of neural tube defects in developing fetuses. Continue daily use as part of your regular supplement routine.

TYPICAL STARTING DOSE

400 mcg

Description

Folate, a B-vitamin, is crucial for DNA synthesis, cell growth, and the formation of red blood cells. Adequate folate intake supports overall health and reduces the risk of neural tube defects during pregnancy.

[Vitamin B9](#) (*folate*) plays an essential role in [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Making DNA
- Metabolism
- Energy production

SelfDecode recommends L-methylfolate as the preferred folate supplement for those who need one. It is superior to folic acid because it doesn't require activation, but the research is still ongoing [\[R\]](#), [\[R\]](#).

How it helps

Folate supplements may help by providing more of this vitamin and enhancing homocysteine methylation, especially in pregnant women and those planning to conceive. Most supplements contain the recommended daily amount of 400 mcg [\[R\]](#), [\[R\]](#).

People with methylation issues may not be able to produce enough methylfolate, which is the active form. **Supplementing with active [L-methylfolate](#) should help bypass this issue, but the research is still limited** [\[R\]](#), [\[R\]](#).

Supplementation with folate (0.5-1 mg/day), both alone and combined with [vitamin B12](#), may lower homocysteine levels in healthy people, those at risk of heart disease or cognitive decline, and patients with type 2 diabetes. A dose of 0.8 mg/day may be most effective [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#).

The combination of folate, vitamin B12, vitamin B6, and omega-3 fatty acids may further lower homocysteine levels [\[R\]](#).

Please note: *You shouldn't consume more than 1,000 micrograms of folate from supplements per day* [\[R\]](#).

 PERSONALIZED TO YOUR GENES

Your [DNMT3B](#) gene variant has been associated with folate deficiency anemia and impaired methylation [\[R\]](#), [\[R\]](#).

YOUR GENETIC VARIANTS			
GENE	SNP	GENOTYPE	EVIDENCE
DNMT3B	rs2424913	TC	

2



Dietary Folate

IMPACT

3 / 5

EVIDENCE

3 / 5

How to implement

Increase your intake of folate-rich foods such as leafy green vegetables, fruits, nuts, and legumes. Aim to consume these foods daily, incorporating them into various meals throughout the day to meet the recommended dietary allowance of 400 micrograms for adults.

Description

Vitamin B9 (*folate*) plays an essential role in [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Making DNA
- Metabolism
- Energy production

Rich sources of folate include [\[R\]](#), [\[R\]](#):

- Beef liver
- Spinach
- Black-eyed peas
- Asparagus
- Citrus fruits

While folate deficiency is rare, it can happen in people who don’t eat enough fruits and vegetables. Alcoholics and lactating women may also be at increased risk [\[R\]](#).

Adults should get **400 micrograms (mcg)** of folate per day. Pregnant or breastfeeding women should get **500-600 mcg per day**. Supplements are usually in the form of *folic acid* or [L-methylfolate](#) (5-MTHF) [\[R\]](#), [\[R\]](#).

How it helps

People with methylation issues may not be able to produce enough methylfolate, which is the active form [\[R\]](#).

Food sources of folate provide the active form of this vitamin. They include raw leafy greens, liver, eggs, nuts, seeds, kimchi, and nutritional yeast [\[R\]](#).

High dietary intake of folate is associated with lower homocysteine levels [\[R\]](#), [\[R\]](#).

 PERSONALIZED TO YOUR GENES

Your ***DNMT3B*** gene variant has been associated with folate deficiency anemia and impaired methylation [\[R\]](#), [\[R\]](#).

YOUR GENETIC VARIANTS			
GENE	SNP	GENOTYPE	EVIDENCE
DNMT3B	rs2424913	TC	

3



SAM-e

IMPACT

2 / 5

EVIDENCE

2 / 5

How to implement

Take 400-1600 mg of SAM-e as a supplement daily, preferably on an empty stomach to enhance absorption. It is often recommended to start with low dosage and observe how your body responds over a few weeks, adjusting as necessary under the guidance of a healthcare provider.

TYPICAL STARTING DOSE

400 mg

Description

[SAM-e](#) is a chemical that helps maintain liver and brain health. Your body makes SAM-e from the amino acid *methionine*, but it’s also available as a supplement [\[R\]](#).

SAM-e supplementation may help with:

- Joint pain [\[R\]](#)
- Liver disease [\[R\]](#)
- Depression [\[R\]](#)

Please note: *SAM-e may not be safe for people with a bipolar disorder. It may also interact with 5-HTP, St. John’s wort, and different medications. Combining it with antidepressants can be dangerous and even life-threatening. Never take SAM-e supplements without consulting your doctor [\[R\]](#), [\[R\]](#), [\[R\]](#).*

How it helps

S-adenosylmethionine or [SAM-e](#) provides methyl groups for methylation reactions and helps clear homocysteine [\[R\]](#), [\[R\]](#).

It also boosts glutathione and may help support liver health, mood, and more [\[R\]](#).

Please note: *SAM-e may not be safe for people with bipolar disorder. It may also interact with 5-HTP, St. John’s wort, and different medications. Combining it with antidepressants can be dangerous and even life-threatening. Never take SAM-e supplements without consulting your doctor [\[R\]](#), [\[R\]](#), [\[R\]](#).*

 PERSONALIZED TO YOUR GENES

Your DNMT3B gene variant has been associated with impaired methylation. Supplementation with SAM-e may help restore its function [\[R\]](#).

YOUR GENETIC VARIANTS			
GENE	SNP	GENOTYPE	EVIDENCE
DNMT3B	rs2424913	TC	