

Esophageal Varices

Disease Report

REPORT CATEGORIES —



GUT HEALTH



HEART & BLOOD
VESSELS

Sample Client

Report date: 15 January 2026

Powered by

 omicsege

Table of Contents

03 How this works

- 04 Impact
- 05 Evidence
- 06 Some things to keep in mind

07 Introduction

08 Your genetics

09 Your recommendations

13 Next Steps

- 13 Your Lab Results

DISCLAIMER

This report does not diagnose this or any other health conditions. Please talk to a healthcare professional if this condition runs in your family, you think you might have this condition, or you have any concerns about your results.

Personal information

NAME

Sample Client

SEX AT BIRTH

Male

HEIGHT

5ft 5" 165cm

WEIGHT

137lb 62kg



How this works

Our Wellness Reports analyze how your DNA influences your health.
We then use this analysis to give you personalized risk estimates and recommendations.



Similarly, our Trait Reports look at how your DNA influences your traits.



Your DNA is like an instruction manual — it contains a lot of information.
You can think of it as a blueprint for your body.

Genetic variants are parts of DNA that differ from person to person. Some can make you more vulnerable to certain health issues, while others may influence traits such as eye color.



We use artificial intelligence and machine learning to analyze all this information.
We then summarize your results as a risk score or display it on a gauge.

In total, we analyze up to 83 million genetic variants.

When we give a risk score, the risk icon tells you if you are at a higher or lower risk compared to other people:



Genotype color info:

AA

You don't have any risk alleles

AA

You have 1 risk allele

AA

You have 2 risk alleles

Your risk is also displayed as a percentile. This will tell you how your risks compare to our sample population. The lower your percentile number, the lower your risk. The "50th percentile" would be an average risk.

Similarly, the gauge tells you your relative risk score compared to our sample population, or it indicates a specific trait or haplotype you are more likely to have based on your genetic variants.

When applicable, we also list top evidence-based recommendations that may help lower your risk. The focus is on recommendations that may be of benefit to you, based on your genetics.

Our recommendations come in four categories: lifestyle, diet, supplements and drugs.
The following icons tell you which category a recommendation falls into:



Our team of scientists also ranks each recommendation.
We rank based on impact and the strength of evidence in the medical literature.

Impact shows how strongly a recommendation will affect your health in a certain area.
Evidence is how much scientific support there is for the recommendation. Rankings are from 1 to 5 (low to high):



Impact

Impact scores range from 1-5. These scores reflect how much of an effect each recommendation can have. An impact score of 5 predicts the biggest effect.

When a recommendation affects something we can measure, we use those measurements to assign the impact score. For example, a recommendation that decreases cholesterol by 20% will have a higher impact score than one that decreases it by 5%.

Some recommendations affect things that we cannot directly measure, like stress or mood. For these, the impact score is based on how well they work relative to other recommendations and standard treatments. The best ones get the highest scores.

If there is a lot of research that shows a recommendation works especially well for your genotype, the impact score gets increased.

Recommendation Evidence

5 / 5

Recommendations that are considered effective and generally recommended by experts and medical bodies.

4 / 5

Recommendations that are considered likely effective and that have multiple independent meta-analyses and a great many studies supporting them.

3 / 5

Recommendations that are considered possibly effective and have many studies supporting them

2 / 5

Recommendations that have insufficient evidence, with two or several clinical trials supporting them, or many studies but with ambiguous results.

1 / 5

Recommendations that have insufficient evidence, with a single clinical trial, or with many studies most of which didn't find support for the recommendation.

0 / 5

No evidence in humans.

Genotype-specific Evidence

High-quality

Direct evidence that a recommendation helps more in people with your gene variant (many clinical trials, a few large clinical trials, or a meta-analysis).

Medium-quality

Direct evidence that a recommendation helps more in people with your gene variant (a few clinical trials or one large clinical trial).

Low-quality

Direct evidence that a recommendation helps more in people with your gene variant (a single clinical trial or more trials with inconsistent results).

Indirect

A recommendation may help more in people with your gene variant because it targets a specific gene or protein affected by your variant (e.g., MTHFR, dopamine).

In theory

A recommendation may help more in people with your gene variant because it targets a specific mechanism affected by your variant (e.g., inflammation, oxidative stress).

Some things to keep in mind:

- Genetics doesn’t play a considerable role in a condition or a trait.
- There is not enough research available to estimate a genetic predisposition.
- There are technical limitations to estimating or presenting a genetic predisposition.
- The topic is sensitive, and a genetic predisposition should only be estimated and presented by a healthcare professional.

Introduction

An esophageal varix is a swollen vein in the esophagus, the tube that connects the throat to the stomach. These varices are most commonly associated with serious liver diseases, especially cirrhosis, which leads to increased pressure in the portal vein system (portal hypertension).

This heightened pressure forces blood to flow through alternative pathways, including the small vessels in the esophagus which aren't designed to carry large volumes of blood. Over time, these vessels can become distended, resulting in varices that are prone to rupture, potentially causing severe bleeding.

Treatment and Prevention

The rupture of esophageal varices is a life-threatening emergency that requires immediate medical attention. Warning signs may include vomiting blood, black or tarry stools, and a drop in blood pressure, which can lead to shock.

Due to the risk of bleeding, preventative measures are often taken, such as periodic surveillance endoscopies and medications to reduce portal pressure. For individuals with known esophageal varices, lifestyle changes such as avoiding alcohol and monitoring the use of medications that can affect bleeding risks are also recommended to minimize the chance of rupture.



TYPICAL LIKELIHOOD

Typical likelihood of esophageal varices based on 18,935 genetic variants we looked at



Your top variants that most likely impact your genetic predisposition:

GENE	SNP	GENOTYPE
PNPLA3	rs738409	GG
TRAF3IP2	rs9487666	CA

The number of "risk" variants in this table doesn't necessarily reflect your overall result.

Your Recommendations

Your recommendations are prioritized according to the likelihood of it having an impact for you based on your genetics, along with the amount of scientific evidence supporting the recommendation.

You’ll likely find common healthy recommendations at the top of the list because they are often the most impactful and most researched.

- 1

Avoid Large Meals
- 2

Limit Salt Intake
- 3

Limit Copper Intake
- 4

Avoid Spicy Food

1



Avoid Large Meals

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Divide your daily food intake into smaller portions spread out over five to six times a day instead of having three large meals. Ensure that each portion is balanced and includes a variety of nutrients. This means having breakfast, a mid-morning snack, lunch, an afternoon snack, dinner, and possibly a light evening snack, depending on your caloric needs.

Description

Eating smaller, more frequent meals may help prevent overeating. This involves eating the same number of meals at about the same times every day. Doing so may help with issues like blood pressure, body weight, cholesterol levels, and migraines.

Eating smaller, more frequent meals may help prevent overeating. One way to do this is to keep a regular meal schedule. This involves eating the same number of meals at about the same times every day. Doing so may help [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Manage blood pressure
- Balance the internal clock
- Maintain a healthy body weight
- Support healthy cholesterol levels
- Prevent migraines

How it helps

Eating large meals can increase pressure in the stomach and esophagus, potentially exacerbating esophageal varices and leading to an increased risk of bleeding. Smaller, more frequent meals can help manage this pressure and reduce the risk of complications associated with esophageal varices.

2



Limit Salt Intake

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Reduce your daily salt intake to less than 2,300 milligrams (mg), equivalent to about one teaspoon of table salt. This includes all salt consumed, whether added during cooking, at the table, or present in processed and ready-to-eat foods.

Description

Limiting salt intake involves lowering the amount of sodium in the diet, which can help lower blood pressure and reduce the risk of heart disease. It often involves avoiding processed and other high-sodium foods such as cured meats, soups and sauces, and various pickled foods.

Your body needs a certain amount of sodium to function. For example, it helps support your blood pressure. This sodium usually comes from [salt](#). However, eating too much salt is linked to an increased risk of stroke and heart disease [\[R, R\]](#).

Foods higher in salt include [\[R, R, R\]](#):

- Prepared soups, broths, gravies, and sauces
- Fermented or pickled foods (such as pickles, soy sauce, olives, and [capers](#))
- Cured meats and sausages (such as bacon, salt pork, and salami)
- Cheese (such as Roquefort and Parmesan)

Try to limit your daily intake to 1 teaspoon of salt (2,400 mg of sodium) [\[R\]](#).

How it helps

Excessive salt intake can lead to water retention, which can increase blood pressure and potentially exacerbate the conditions that lead to the development of esophageal varices, such as portal hypertension. Limiting salt intake may help manage blood pressure and reduce the risk of bleeding from varices.

3



Limit Copper Intake

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Do not include copper supplements in your daily vitamin or supplement routine. Check the labels of any multivitamins or dietary supplements you are currently taking to ensure they do not contain copper. Ideally, you should also check copper levels in your tap water. If they are excessive, consider using a reliable water filter or drinking spring water.

Description

Taking too many copper supplements can cause a copper overdose in your body. This can be harmful, leading to issues like stomach pain, nausea, and even heart problems. For healthy individuals, the amount of copper obtained through a balanced diet is usually enough without needing supplementation. It's vital to maintain the natural balance of minerals in the body for good health.

Contaminated tap water can also be a source of excess copper.

How it helps

A genome-wide study in Chinese individuals identified key genetic markers linked to serum copper levels, which influence various health outcomes including esophageal varix [\[R\]](#).

4



Avoid Spicy Food

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Eliminate or significantly reduce consumption of foods high in spices, such as hot peppers, curry, and salsa, from your daily diet.

Description

For individuals sensitive to spicy foods, avoiding excessively hot or spicy dishes can prevent digestive discomfort and heartburn, promoting better gastrointestinal comfort and overall well-being.

How it helps

Eating spicy foods can irritate the lining of the esophagus, which may be particularly problematic for individuals with esophageal varices. This irritation can lead to discomfort and potentially increase the risk of bleeding in weakened variceal veins in the esophagus. Therefore, avoiding spicy foods may help minimize these risks and reduce discomfort.

Next Steps

Remember, your genes only tell one important part of your health story!

Now that you've seen your DNA-based results for this health topic, let's take a look at other contributing factors.

Your lab results

Your lab results are impacted by the combined effect of your genes, environment and lifestyle.

Lab tests will give you the best picture of your current health status, while your genes provide insight into your health predispositions and which recommendations are best for you.

	Platelet Count	215 x10 ³ /mm ³		9 Nov 2025
	Albumin	4.3 g/dL		9 Nov 2025
	Hemoglobin	17.1 g/dL		9 Nov 2025