

Gangrene

Disease Report

REPORT CATEGORY —



Sample Client

Report date: 15 January 2026

Table of Contents

03 How this works

- 04 Impact
- 05 Evidence
- 06 Some things to keep in mind

07 Introduction

08 Your genetics

09 Your recommendations

18 Next Steps

- 18 Your Lab Results

Personal information

NAME

Sample Client

SEX AT BIRTH

Male

HEIGHT


5ft 5" 165cm

WEIGHT

137lb 62kg


DISCLAIMER

This report does not diagnose this or any other health conditions. Please talk to a healthcare professional if this condition runs in your family, you think you might have this condition, or you have any concerns about your results.



How this works

Our Wellness Reports analyze how your DNA influences your health.
We then use this analysis to give you personalized risk estimates and recommendations.




Similarly, our Trait Reports look at how your DNA influences your traits.



Your DNA is like an instruction manual — it contains a lot of information.
You can think of it as a blueprint for your body.

Genetic variants are parts of DNA that differ from person to person. Some can make you more vulnerable to certain health issues, while others may influence traits such as eye color.



We use artificial intelligence and machine learning to analyze all this information.
We then summarize your results as a risk score or display it on a gauge.

In total, we analyze up to 83 million genetic variants.

When we give a risk score, the risk icon tells you if you are at a higher or lower risk compared to other people:



Genotype color info:

AA

You don't have any risk alleles

AA

You have 1 risk allele

AA

You have 2 risk alleles

Your risk is also displayed as a percentile. This will tell you how your risks compare to our sample population. The lower your percentile number, the lower your risk. The "50th percentile" would be an average risk.

Similarly, the gauge tells you your relative risk score compared to our sample population, or it indicates a specific trait or haplotype you are more likely to have based on your genetic variants.

When applicable, we also list top evidence-based recommendations that may help lower your risk. The focus is on recommendations that may be of benefit to you, based on your genetics.

Our recommendations come in four categories: lifestyle, diet, supplements and drugs.
The following icons tell you which category a recommendation falls into:



Our team of scientists also ranks each recommendation.
We rank based on impact and the strength of evidence in the medical literature.

Impact shows how strongly a recommendation will affect your health in a certain area.
Evidence is how much scientific support there is for the recommendation. Rankings are from 1 to 5 (low to high):



Impact

Impact scores range from 1-5. These scores reflect how much of an effect each recommendation can have. An impact score of 5 predicts the biggest effect.

When a recommendation affects something we can measure, we use those measurements to assign the impact score. For example, a recommendation that decreases cholesterol by 20% will have a higher impact score than one that decreases it by 5%.

Some recommendations affect things that we cannot directly measure, like stress or mood. For these, the impact score is based on how well they work relative to other recommendations and standard treatments. The best ones get the highest scores.

If there is a lot of research that shows a recommendation works especially well for your genotype, the impact score gets increased.

Recommendation Evidence

- 5 / 5
- Recommendations that are considered effective and generally recommended by experts and medical bodies.
-
- 4 / 5
- Recommendations that are considered likely effective and that have multiple independent meta-analyses and a great many studies supporting them.
-
- 3 / 5
- Recommendations that are considered possibly effective and have many studies supporting them
-
- 2 / 5
- Recommendations that have insufficient evidence, with two or several clinical trials supporting them, or many studies but with ambiguous results.
-
- 1 / 5
- Recommendations that have insufficient evidence, with a single clinical trial, or with many studies most of which didn't find support for the recommendation.
-
- 0 / 5
- No evidence in humans.

Genotype-specific Evidence

- High-quality
- Direct evidence that a recommendation helps more in people with your gene variant (many clinical trials, a few large clinical trials, or a meta-analysis).
- Medium-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a few clinical trials or one large clinical trial).
- Low-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a single clinical trial or more trials with inconsistent results).
- Indirect
- A recommendation may help more in people with your gene variant because it targets a specific gene or protein affected by your variant (e.g., MTHFR, dopamine).
- In theory
- A recommendation may help more in people with your gene variant because it targets a specific mechanism affected by your variant (e.g., inflammation, oxidative stress).

Some things to keep in mind:

- Genetics doesn’t play a considerable role in a condition or a trait.
- There is not enough research available to estimate a genetic predisposition.
- There are technical limitations to estimating or presenting a genetic predisposition.
- The topic is sensitive, and a genetic predisposition should only be estimated and presented by a healthcare professional.

Introduction

Gangrene is a serious and potentially life-threatening condition that occurs when a considerable mass of body tissue dies (necrosis) due to a lack of blood supply or a bacterial infection. The types of gangrene vary depending on the cause and area of the body affected, with the most common being dry gangrene and wet gangrene. Dry gangrene usually develops in people with vascular disease, diabetes, or autoimmune diseases, and affects the extremities such as the toes and fingers.

It presents as dry, shriveled skin that changes color to brown and then black before sloughing off. Wet gangrene, on the other hand, typically occurs as a complication of an untreated infected wound and can spread much more quickly.

Symptoms and Treatment

Symptoms of gangrene include swelling and pain at the site of infection, skin discoloration that progresses from red to black, blisters or sores that produce a foul-smelling discharge, and a sensation of coldness in the affected area. If left untreated, gangrene can lead to sepsis, a life-threatening reaction to infection that can result in organ failure.

Treatment options for gangrene depend on its type and extent, ranging from antibiotics to surgical removal of dead tissue, to hyperbaric oxygen therapy, which helps heal the affected tissue by increasing the amount of oxygen in the blood.



TYPICAL LIKELIHOOD

Typical likelihood of gangrene based on 1,675 genetic variants we looked at

Your Recommendations

Your recommendations are prioritized according to the likelihood of it having an impact for you based on your genetics, along with the amount of scientific evidence supporting the recommendation.

You’ll likely find common healthy recommendations at the top of the list because they are often the most impactful and most researched.

DOSAGE		DOSAGE			
1	Hyperbaric Oxygen Therapy	90 minutes	2	Walking	30 minutes
3	Honey		4	Exercise At Least One Hour a Day	1 hour
5	Use Cushioned Shoes		6	Compression Therapy	
7	Vitamin C	2000 mg	8	Zinc	15 mg
9	Topical Honey		10	Vitamin E	200 iu

1



Hyperbaric Oxygen Therapy

IMPACT

3 / 5

EVIDENCE

3 / 5

How to implement

Schedule and attend sessions in a hyperbaric oxygen therapy chamber as your doctor prescribes, typically for about 60 to 90 minutes per session. The exact number of sessions required can vary based on the condition being treated, but it often ranges from 20 to 40 sessions, which may be conducted daily or a few times a week.

TYPICAL STARTING DOSE

90 minutes

Description

Hyperbaric oxygen therapy increases the amount of oxygen in the blood and tissues, which can help to improve circulation, reduce inflammation, and promote healing.

How it helps

Hyperbaric oxygen therapy may reduce mortality and complications in patients with different types of gangrene, including Fournier’s gangrene and necrotizing soft tissue infections [\[R, R\]](#).

2



Walking

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Incorporate at least 30 minutes of brisk walking into your daily routine, aiming for a minimum of five days a week. This can be done in one continuous session or broken into shorter periods, such as three 10-minute walks throughout the day.

TYPICAL STARTING DOSE

30 minutes

Description

Walking is a low-impact form of exercise that can contribute to cardiovascular fitness, weight management, and improved overall health. It is used to support physical activity goals, enhance mood, and promote better cardiovascular health.

How it helps

Walking stimulates circulation in the legs and feet, which can improve blood flow and oxygenation of tissues, helping to prevent gangrene.

3



Honey

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Consume 1-2 tablespoons of raw honey daily, either directly or by mixing it into warm water, tea, or yogurt. Continue this practice regularly to observe benefits.

Description

Honey is a natural sweetener known for its antimicrobial properties and potential benefits for wound healing. It contains antioxidants and may have soothing effects on sore throats and coughs.

[Honey](#) is a thick, sweet substance. It’s made by honeybees from the nectar of flowering plants. There are many different types of honey. Besides sugar, honey also contains amino acids (protein building blocks), vitamins, and minerals [\[R\]](#).

People use honey for its anti-inflammatory and antioxidant properties. It can potentially help with [\[R\]](#):

- Heart problems
- Gut problems
- Cough
- Burns

How it helps

Honey has natural antibacterial and healing properties. Applying medical-grade honey on wounds can help clean the affected area and speed up healing by killing bacteria and reducing inflammation. It's especially useful in treating wounds that are difficult to heal, making it a beneficial supplement for managing gangrene symptoms.

4



Exercise At Least One Hour a Day

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Dedicate a minimum of 60 minutes to moderate-intensity activities such as brisk walking, swimming, or cycling. Do this most days of the week, aiming for at least 5 days to optimize benefits.

TYPICAL STARTING DOSE

1 hour

Description

[Exercise](#) can do wonders for your health. It can help you lose weight, improve your heart health, boost your mood, and more [\[R\]](#).

There are many ways you can be active. You can walk, run, swim, dance, or play team sports. **Everything counts, and it's never too late to start!**

Try to get at least **60 minutes of moderate physical activity on most days**, including walking. **Getting a mix of cardio (min 150 min/day) and strength training (min 2 times a week) may be optimal.**

How it helps

Regular exercise improves blood circulation, which is crucial in preventing and managing gangrene by ensuring that tissues receive enough oxygenated blood.

5



Use Cushioned Shoes

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Wear shoes with cushioned soles whenever you are walking or standing, especially on hard surfaces. It is beneficial to replace them once you notice the cushioning has worn out, typically every 300 to 500 miles for runners or every six months for regular use.

Description

Cushioned shoes are footwear designed with added padding and support, commonly used to provide comfort and reduce the impact on joints and feet during walking or physical activities. They can help alleviate foot pain and discomfort, making them suitable for individuals with various foot conditions.

How it helps

Wearing cushioned shoes can help protect areas prone to pressure and reduce the risk of sores that can lead to gangrene.

6



Compression Therapy

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Wear compression stockings or sleeves daily, especially during long periods of standing or sitting. Choose a compression level appropriate for your condition (mild, moderate, or high), as advised by a healthcare professional. Start wearing them in the morning before swelling occurs and keep them on until bedtime.

Description

Compression therapy involves wearing specialized garments that apply pressure to the limbs, promoting better circulation and reducing swelling. It is commonly used to manage conditions like venous disorders and can help alleviate symptoms, improve vascular health, and enhance overall well-being.

In compression therapy, different methods are used to apply pressure to the legs. These methods include [\[R\]](#):

- Bandages
- Wraps
- Compression stockings
- Pneumatic pressure devices

Compression therapy supports blood flow. It may help [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Prevent blood clots and deep vein thrombosis (DVT)
- Reduce some kinds of swelling
- Reduce symptoms of restless legs syndrome

How it helps

Compression therapy helps improve blood flow in areas with poor circulation, reducing the risk of tissue death that leads to gangrene.

7



Vitamin C

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Take 500-2000 mg of vitamin C supplement daily. It can be taken at any time of the day, with or without food, according to personal preference or tolerance.

TYPICAL STARTING DOSE

2000 mg

Description

[Vitamin C](#) is an essential nutrient. This means that our bodies can’t produce it on their own, so we have to get it from food or supplements [\[R\]](#).

Foods rich in Vitamin C include: [\[R\]](#)

- Citrus Fruits
- Peppers
- Brussel sprouts
- Kiwi
- Broccoli
- Tomato
- Cantaloupe
- Cauliflower
- Spinach

Vitamin C has antioxidant properties. It supports immunity, heart health, and wound healing [\[R\]](#), [\[R\]](#).

Vitamin C deficiency is called *scurvy*. In the past, many sailors suffered from it [\[R\]](#).

How it helps

Vitamin C is known for its role in collagen formation and repair of skin tissue, which can help in healing wounds and preventing infections associated with gangrene.

8



Zinc

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Take a 15 mg zinc supplement daily, ideally with a meal to enhance absorption.

TYPICAL STARTING DOSE

15 mg

Description

Zinc is an essential mineral found in various foods, including meat, dairy, and nuts. It is crucial for immune function, wound healing, DNA synthesis, and maintaining healthy skin and nails. Zinc supplements are sometimes used to support immune health and manage zinc deficiencies.

[Zinc](#) is an essential mineral. Your body needs it to [\[R\]](#), [\[R\]](#):

- Defend against disease
- Protect DNA from damage
- Heal wounds
- Control blood sugar

Some of the best sources of zinc include **shellfish, pork, beef, and beans**. It is also available as a supplement [\[R\]](#).

Adults should get **8-11 mg of zinc** per day [\[R\]](#).

How it helps

Zinc plays a crucial role in immune function and wound healing. It helps to enhance the body's ability to repair tissues and fight off infection, which is critical in managing gangrene.

9



Topical Honey

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Apply a thin layer of raw, unpasteurized honey directly to the affected area of the skin. Cover it with a sterile bandage and leave it on for at least 1 hour, or overnight for best results. Repeat daily until improvement is seen.

Description

Honey is a natural topical application known for its moisturizing, antibacterial, and wound-healing properties. It is used to soothe dry skin, promote skin repair, and address minor burns and cuts.

[Honey](#) is a thick, sweet substance. It’s made by honeybees from the nectar of flowering plants. There are many different types of honey. For example, kanuka honey is made from the flowers of the New Zealand kanuka tree [\[R\]](#), [\[R\]](#).

Besides sugar, honey also contains amino acids (protein building blocks), vitamins, and minerals [\[R\]](#).

People use honey for its anti-inflammatory and antioxidant properties. It may help with [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Heart problems
- Gut problems
- Cough
- Skin problems

How it helps

Topical honey can be beneficial for gangrene due to its antimicrobial, anti-inflammatory, and wound-healing properties. It helps by reducing infection and promoting tissue regeneration.

10



Vitamin E

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Take 200 IU of Vitamin E daily as a supplement, preferably with a meal that contains fat to enhance absorption.

TYPICAL STARTING DOSE

200 iu

Description

Vitamin E is a fat-soluble antioxidant found in various foods, such as nuts and seeds. It is known for its ability to protect cells from oxidative damage, support immune function, and may play a role in skin health. Vitamin E supplements are used to bolster antioxidant defenses and may be beneficial for conditions related to oxidative stress.

[Vitamin E](#) is an antioxidant important for the immune system and for heart health [\[R\]](#).

Plant-based foods have the most vitamin E. These include [\[R\]](#):

- Wheat germ
- Sunflower seeds
- Almonds
- Plant oils

Adults need about **15 mg** of vitamin E per day [\[R\]](#).

How it helps

Vitamin E has antioxidant properties that help in reducing oxidative stress and improving blood circulation, which can support tissue health and recovery in gangrene cases.

Next Steps



Remember, your genes only tell one important part of your health story!

Now that you've seen your DNA-based results for this health topic, let's take a look at other contributing factors.

Your lab results

Your lab results are impacted by the combined effect of your genes, environment and lifestyle.

Lab tests will give you the best picture of your current health status, while your genes provide insight into your health predispositions and which recommendations are best for you.

	ESR	1 mm/hr		9 Nov 2025
	WBC	6.92 x10^3/mm3		9 Nov 2025
	Neutrophils (%)	69.3 %		9 Nov 2025
	Neutrophils (Absolute)	4.8 x10^9/L		9 Nov 2025
	hs-CRP	1.6 mg/L		9 Nov 2025