

Mitral Valve Prolapse

Disease Report

REPORT CATEGORY —



HEART & BLOOD
VESSELS

Sample Client

Report date: 15 January 2026

Powered by

omicsedge

Table of Contents

03 How this works

- 04 Impact
- 05 Evidence
- 06 Some things to keep in mind

07 Introduction

08 Your genetics

10 Your recommendations

DISCLAIMER

This report does not diagnose this or any other health conditions. Please talk to a healthcare professional if this condition runs in your family, you think you might have this condition, or you have any concerns about your results.

Personal information

NAME

Sample Client

SEX AT BIRTH

Male

HEIGHT

5ft 5" 165cm

WEIGHT

137lb 62kg



How this works

Our Wellness Reports analyze how your DNA influences your health.
We then use this analysis to give you personalized risk estimates and recommendations.



Similarly, our Trait Reports look at how your DNA influences your traits.



Your DNA is like an instruction manual — it contains a lot of information.
You can think of it as a blueprint for your body.

Genetic variants are parts of DNA that differ from person to person. Some can make you more vulnerable to certain health issues, while others may influence traits such as eye color.



We use artificial intelligence and machine learning to analyze all this information.
We then summarize your results as a risk score or display it on a gauge.

In total, we analyze up to 83 million genetic variants.

When we give a risk score, the risk icon tells you if you are at a higher or lower risk compared to other people:



Genotype color info:

AA

You don't have any risk alleles

AA

You have 1 risk allele

AA

You have 2 risk alleles

Your risk is also displayed as a percentile. This will tell you how your risks compare to our sample population. The lower your percentile number, the lower your risk. The "50th percentile" would be an average risk.

Similarly, the gauge tells you your relative risk score compared to our sample population, or it indicates a specific trait or haplotype you are more likely to have based on your genetic variants.

When applicable, we also list top evidence-based recommendations that may help lower your risk. The focus is on recommendations that may be of benefit to you, based on your genetics.

Our recommendations come in four categories: lifestyle, diet, supplements and drugs.
The following icons tell you which category a recommendation falls into:



Our team of scientists also ranks each recommendation.
We rank based on impact and the strength of evidence in the medical literature.

Impact shows how strongly a recommendation will affect your health in a certain area.
Evidence is how much scientific support there is for the recommendation. Rankings are from 1 to 5 (low to high):



Impact

Impact scores range from 1-5. These scores reflect how much of an effect each recommendation can have. An impact score of 5 predicts the biggest effect.

When a recommendation affects something we can measure, we use those measurements to assign the impact score. For example, a recommendation that decreases cholesterol by 20% will have a higher impact score than one that decreases it by 5%.

Some recommendations affect things that we cannot directly measure, like stress or mood. For these, the impact score is based on how well they work relative to other recommendations and standard treatments. The best ones get the highest scores.

If there is a lot of research that shows a recommendation works especially well for your genotype, the impact score gets increased.

Recommendation Evidence

- 5 / 5
- Recommendations that are considered effective and generally recommended by experts and medical bodies.
-
- 4 / 5
- Recommendations that are considered likely effective and that have multiple independent meta-analyses and a great many studies supporting them.
-
- 3 / 5
- Recommendations that are considered possibly effective and have many studies supporting them
-
- 2 / 5
- Recommendations that have insufficient evidence, with two or several clinical trials supporting them, or many studies but with ambiguous results.
-
- 1 / 5
- Recommendations that have insufficient evidence, with a single clinical trial, or with many studies most of which didn't find support for the recommendation.
-
- 0 / 5
- No evidence in humans.

Genotype-specific Evidence

- High-quality
- Direct evidence that a recommendation helps more in people with your gene variant (many clinical trials, a few large clinical trials, or a meta-analysis).
- Medium-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a few clinical trials or one large clinical trial).
- Low-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a single clinical trial or more trials with inconsistent results).
- Indirect
- A recommendation may help more in people with your gene variant because it targets a specific gene or protein affected by your variant (e.g., MTHFR, dopamine).
- In theory
- A recommendation may help more in people with your gene variant because it targets a specific mechanism affected by your variant (e.g., inflammation, oxidative stress).

Some things to keep in mind:

- Genetics doesn’t play a considerable role in a condition or a trait.
- There is not enough research available to estimate a genetic predisposition.
- There are technical limitations to estimating or presenting a genetic predisposition.
- The topic is sensitive, and a genetic predisposition should only be estimated and presented by a healthcare professional.

Introduction

Mitral valve prolapse (MVP) is a condition in which the mitral valve, located between the heart's left upper chamber (*left atrium*) and the left lower chamber (*left ventricle*) doesn't close properly. During heartbeats, parts of the valve bulge (prolapse) upward into the atrium. MVP can cause blood to leak backward into the atrium (mitral valve regurgitation), but many people with MVP never have severe problems [R].

Most people with MVP experience no symptoms and don’t require any treatment. If present, symptoms may include:

- Palpitations
- Shortness of breath
- Fatigue
- Chest pain

In rare cases, MVP can lead to more severe complications such as [R]:

- Mitral valve regurgitation
- Heart rhythm problems such as atrial fibrillation
- Infective endocarditis

Risk Factors and Management

Risk factors for mitral valve prolapse include [\[R\]](#):

- Being female
- Connective tissue disorders, like Marfan syndrome or Ehlers-Danlos syndrome
- Scoliosis or other skeletal problems

MVP can sometimes run in families, suggesting a genetic component to the condition. It is also associated with genetic connective tissue disorders like Marfan syndrome, which is caused by mutations in the [FBN1](#) gene.

Most people with MVP don't need treatment unless the condition is severe or causing significant symptoms.

Management of the condition often includes [\[R\]](#):

- Regular monitoring, including echocardiograms to assess the mitral valve's condition.
- Medications such as beta-blockers for palpitations or blood thinners to reduce the risk of blood clots.
- In severe cases of mitral regurgitation, surgery to repair or replace the mitral valve may be necessary.

There's no certain way to prevent MVP. However, managing risk factors and keeping regular appointments with a healthcare provider for echocardiograms can help monitor the condition and its progression. Maintaining a healthy lifestyle, including regular exercise and a balanced diet, can also support overall heart health.



LESS LIKELY

Less likely to have mitral valve prolapse based on 1,668 genetic variants we looked at

Your top variants that most likely impact your genetic predisposition:

GENE	SNP	GENOTYPE
KDM5B	rs199723025	AA
/	rs57355895	CC
TBX5	rs1946299	GG
GLIS1	rs1879734	TT
CCN2	rs11962845	AA
MEOX1	rs55674920	GG
SPTBN1	rs12713274	AA
PDCD4	rs12573386	CC
TBX5	rs2555005	AA
LMCD1	rs171408	GA
MSRA	rs56028519	AG
LTBP2	rs888414	GA
SRR	rs216205	CT
PINX1	rs12676417	GA
SETD4	rs62229266	TA
NMB	rs35828350	AG
ERCC4	rs13334552	GA
LMCD1	rs165177	TC
CAND2	rs34871776	TC
SH2B3	rs10774625	AG
LTBP2	rs11852134	AG
TGFB2	rs12406058	GG
TNP1	rs7595393	CC
SRR	rs112258894	CC
TNP1	rs12465515	GG
DMWD	rs4802272	GG
TNP1	rs34909633	GG
SIPA1L1	rs17767392	CC
MN1	rs11705555	AA
BAG3	rs17099139	GG
TNP1	rs13399995	TT

The number of "risk" variants in this table doesn't necessarily reflect your overall result.

Your Recommendations

Your recommendations are prioritized according to the likelihood of it having an impact for you based on your genetics, along with the amount of scientific evidence supporting the recommendation.

You’ll likely find common healthy recommendations at the top of the list because they are often the most impactful and most researched.

DOSAGE		DOSAGE			
1	Aerobic Exercise (Cardio)	1 hour	2	Low-Intensity Exercise	1 hour
3	Magnesium	350 mg	4	Dietary Magnesium	
5	Swimming	30 minutes	6	Avoid Large Meals	
7	Avoid Strenuous Activity		8	Avoid Refined Sugar	
9	Yoga	30 minutes	10	Tai Chi	1 hour
11	Limit Salt Intake		12	Walking	30 minutes
13	Stress Management Therapy	1 hour	14	Drink at Least 8 Glasses of Water a Day	

1



Aerobic Exercise (Cardio)

IMPACT

1 / 5

EVIDENCE

1 / 5

How to implement

Engage in at least 150 minutes of moderate-intensity aerobic exercise or 75 minutes of vigorous-intensity activity each week. Distribute this time over at least 3 days per week, avoiding consecutive days of vigorous exercise to allow for recovery.

TYPICAL STARTING DOSE

1 hour

Description

Engaging in regular aerobic exercise, such as running, swimming, or cycling, offers numerous health benefits, including improved cardiovascular fitness, weight management, and mood enhancement. It supports overall physical and mental well-being while reducing the risk of chronic diseases.

Cardio, short for cardiovascular exercise, is any type of physical activity that temporarily increases your heart rate. Examples include **running, cycling, swimming, and brisk walking**.

Regular cardio exercise has many benefits for your overall health. It can help lower your risk of heart disease and diabetes, support weight loss, and improve your mood and energy levels. To get the most out of cardio, try to do it for at **least 30 minutes, 3-5 times a week**.

Interval training is a type of cardio that combines periods of high-intensity training with brief rest periods.

How it helps

In a non-placebo-controlled trial of 32 women with symptomatic mitral valve prolapse, practicing aerobic exercise (3x/week for 12 weeks) reduced anxiety scores and the frequency of chest pain, fatigue, dizziness, and mood swings while increasing functional capacity and well-being [\[R\]](#).

2



Low-Intensity Exercise

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Incorporate 60 minutes of low-intensity activities, such as walking or gentle yoga, into your daily routine. Aim to do this 5 days a week to achieve the best results.

TYPICAL STARTING DOSE

1 hour

Description

Low-intensity exercise, such as walking or gentle yoga, provides numerous health benefits, including improved cardiovascular health, stress reduction, and enhanced overall fitness without the strain of high-intensity workouts.

How it helps

Participating in low-intensity exercises like walking or gentle yoga can help maintain cardiovascular health without putting undue stress on the heart. This balance can be beneficial for managing symptoms of mitral valve prolapse.

3



Magnesium

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Take up to 350 mg of magnesium daily as a supplement, preferably with a meal to enhance absorption.

TYPICAL STARTING DOSE

350 mg

Description

Magnesium is an essential mineral involved in various bodily functions, including muscle contractions, nerve signaling, and bone health. Maintaining adequate magnesium levels through diet or supplements can support overall well-being and reduce the risk of magnesium deficiency-related health issues.

[Magnesium](#) is an essential mineral. Your body needs it for [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Muscle, nerve, and bone function
- Blood sugar and blood pressure control
- DNA and protein production
- Strong immunity

Women need **310-320 mg** of magnesium per day, while men need **400-420 mg** [\[R\]](#).

Foods rich in magnesium include **nuts, seeds, and leafy greens**. Magnesium is also available as a supplement [\[R\]](#).

How it helps

Magnesium helps maintain normal heart rhythm and is involved in muscle relaxation, which may benefit those with mitral valve prolapse.

4



Dietary Magnesium

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Increase your intake of magnesium-rich foods such as leafy green vegetables, nuts, seeds, and whole grains. Aim to include these foods in your diet daily, following the recommended dietary allowance of 320 mg per day for women and 420 mg per day for men.

Description

Magnesium is a vital mineral involved in over 300 biochemical reactions in the body. It supports various functions, including muscle and nerve function, bone health, and blood sugar regulation.

Magnesium is an essential mineral. Your body needs it for [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Muscle, nerve, and bone function
- Blood sugar and blood pressure control
- DNA and protein production
- Strong immunity

Women need **310-320 mg** of magnesium per day, while men need **400-420 mg** [\[R\]](#).

Foods rich in magnesium include **nuts, seeds, and leafy greens**. Magnesium is also available as a supplement [\[R\]](#).

How it helps

Magnesium helps relax blood vessels, which can reduce the strain on your heart. It is particularly useful for people with heart conditions like mitral valve prolapse by promoting better cardiovascular health and reducing palpitations.

5



Swimming

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Incorporate swimming into your routine for at least 30 minutes, 3 times a week. Choose a pace and stroke that keeps your heart rate elevated yet allows you to breathe comfortably. Continue this practice regularly for long-term health benefits.

TYPICAL STARTING DOSE
30 minutes

Description

Swimming is a whole-body workout that engages various muscle groups, promoting strength and endurance. It helps keep the heart and lungs healthy, improves flexibility, and can even help reduce stress. Regular swimming is a great way to maintain a balanced, fit, and healthy lifestyle.

How it helps

Swimming is a low-impact aerobic exercise that can help maintain cardiovascular fitness without placing excessive strain on the heart.

6



Avoid Large Meals

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Divide your daily food intake into smaller portions spread out over five to six times a day instead of having three large meals. Ensure that each portion is balanced and includes a variety of nutrients. This means having breakfast, a mid-morning snack, lunch, an afternoon snack, dinner, and possibly a light evening snack, depending on your caloric needs.

Description

Eating smaller, more frequent meals may help prevent overeating. This involves eating the same number of meals at about the same times every day. Doing so may help with issues like blood pressure, body weight, cholesterol levels, and migraines.

Eating smaller, more frequent meals may help prevent overeating. One way to do this is to keep a regular meal schedule. This involves eating the same number of meals at about the same times every day. Doing so may help [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Manage blood pressure
- Balance the internal clock
- Maintain a healthy body weight
- Support healthy cholesterol levels
- Prevent migraines

How it helps

Large meals can increase the burden on the heart as more blood is diverted for digestion, which may cause symptoms of mitral valve prolapse to become more pronounced.

7



Avoid Strenuous Activity

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Refrain from participating in high-intensity physical activities such as running, heavy weightlifting, and high-impact sports. Opt instead for low-impact exercises like walking, swimming, or yoga. It's important to listen to your body's signals and rest as needed, avoiding these strenuous activities until advised otherwise by a health professional.

Description

Avoiding strenuous physical activity in certain medical conditions or during illness can help prevent injury and promote better recovery. It allows the body to conserve energy and supports the healing process.

Strenuous activity is physical activity that requires a lot of effort. Exercise done at 70-85% of a person’s heart rate is considered strenuous. Examples include [\[R\]](#):

- Running, cycling, or swimming at high speed
- Running or hiking uphill
- Jumping rope
- Single tennis
- Sports that involve a lot of running (soccer, basketball, hockey, etc.)

On the other hand, strenuous daily activities include [\[R\]](#):

- Lifting and carrying heavy objects
- Gardening with heavy digging
- Shoveling snow
- Fast dancing

How it helps

Engaging in strenuous activity can exacerbate symptoms of mitral valve prolapse, such as palpitations and dizziness. Limiting such activities can help maintain stable heart function and reduce discomfort.

8



Avoid Refined Sugar

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Eliminate foods and beverages high in refined sugars, such as sodas, candies, pastries, and white bread, from your diet. Replace them with natural sugars found in fruits and whole grains. Implement this change immediately and maintain it indefinitely for long-term health benefits.

Description

Reducing the consumption of refined sugar and high-sugar foods can help prevent dental problems, manage blood sugar levels, and support weight management.

How it helps

Refined sugars can lead to weight gain, insulin resistance, and inflammation, which are all risk factors for heart disease and could potentially worsen mitral valve prolapse.

9



Yoga

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Practice yoga for at least 20 to 30 minutes a day, most days of the week. Choose a style that matches your fitness level and goals, and consider attending a class or using online resources to guide your practice.

TYPICAL STARTING DOSE

30 minutes

Description

Yoga is a mind-body practice that combines physical postures, breathing exercises, and meditation. It enhances flexibility, strength, and mental well-being and is used for stress reduction, relaxation, and overall health improvement.

[Yoga](#) combines breathing, stretching, and relaxation techniques. Practicing yoga may help [\[R, R, R\]](#):

- Reduce [stress](#)
- Improve fitness
- Lower blood pressure and heart rate
- Manage pain

How it helps

Yoga helps in reducing stress and improving heart function through gentle physical activity and breathing exercises. This can help manage symptoms of mitral valve prolapse by promoting relaxation and improving cardiovascular health.

10



Tai Chi

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Practice Tai Chi for 30 to 60 minutes at least twice a week. Choose a quiet, spacious area and follow along with a qualified instructor, either in person at a class or through an online video tutorial, to ensure proper technique and maximum benefit.

TYPICAL STARTING DOSE

1 hour

Description

Tai Chi is a traditional Chinese mind-body practice involving slow, flowing movements and deep breathing. It is known for its potential to reduce stress, improve balance, and enhance overall physical and mental well-being.

Tai chi involves gentle movements and breathing to strengthen and relax the mind and body. Practicing tai chi may help [R](#), [R](#), [R](#):

- Manage pain
- Improve fitness
- Increase well-being
- Improve sleep and mood

How it helps

Tai Chi is a gentle form of exercise that can help lower blood pressure and reduce stress, which may be beneficial for mitral valve prolapse.

11



Limit Salt Intake

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Reduce your daily salt intake to less than 2,300 milligrams (mg), equivalent to about one teaspoon of table salt. This includes all salt consumed, whether added during cooking, at the table, or present in processed and ready-to-eat foods.

Description

Limiting salt intake involves lowering the amount of sodium in the diet, which can help lower blood pressure and reduce the risk of heart disease. It often involves avoiding processed and other high-sodium foods such as cured meats, soups and sauces, and various pickled foods.

Your body needs a certain amount of sodium to function. For example, it helps support your blood pressure. This sodium usually comes from [salt](#). However, eating too much salt is linked to an increased risk of stroke and heart disease [\[R\]](#), [\[R\]](#).

Foods higher in salt include [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Prepared soups, broths, gravies, and sauces
- Fermented or pickled foods (such as pickles, soy sauce, olives, and [capers](#))
- Cured meats and sausages (such as bacon, salt pork, and salami)
- Cheese (such as Roquefort and Parmesan)

Try to limit your daily intake to 1 teaspoon of salt (2,400 mg of sodium) [\[R\]](#).

How it helps

Reducing salt intake can help manage blood pressure, which is important for heart health. High blood pressure can worsen mitral valve prolapse symptoms and complications.

12



Walking

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Incorporate at least 30 minutes of brisk walking into your daily routine, aiming for a minimum of five days a week. This can be done in one continuous session or broken into shorter periods, such as three 10-minute walks throughout the day.

TYPICAL STARTING DOSE

30 minutes

Description

Walking is a low-impact form of exercise that can contribute to cardiovascular fitness, weight management, and improved overall health. It is used to support physical activity goals, enhance mood, and promote better cardiovascular health.

How it helps

Regular walking is a low-impact exercise that helps maintain a healthy heart and can be good for mitigating symptoms of mitral valve prolapse.

13



Stress Management Therapy

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Engage in stress management therapy sessions, such as cognitive-behavioral therapy (CBT), for at least 1 hour per week over a course of 8 to 12 weeks. Techniques can include mindfulness, deep breathing exercises, and identifying stressors to develop coping strategies.

TYPICAL STARTING DOSE

1 hour

Description

Stress management therapy refers to various techniques and approaches aimed at reducing and coping with stress. It can improve mental and physical well-being by helping individuals better manage the effects of stress on their health.

How it helps

Stress management helps reduce anxiety and palpitations, which can be common in those with mitral valve prolapse. Lower stress levels improve overall heart health and can make symptoms less severe.

14



Drink at Least 8 Glasses of Water a Day

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Consume a total of at least 64 ounces (or approximately 1.9 liters) of water over the course of the day. This can be divided into 8 glasses, each containing 8 ounces of water. Aim to drink evenly throughout the day to avoid dehydration.

Description

Water is an essential nutrient for nearly every process in your body, helping to mainting brain and gut function, maintain a health weight, as well as energy and performance levels, among others.

Water is essential for life. It supports nearly every process in your body [R].

Water helps maintain [R]:

- Energy and performance levels
- Brain function
- Gut function
- Healthy weight

Most experts recommend drinking **around 8 glasses (64 oz. or 2 L) of water daily**. You might need more or less than this, depending on how active you are, where you live, or what your overall health is like [R].

How it helps

Proper hydration is important for maintaining normal blood volume and pressure, which helps reduce the workload on the heart with mitral valve prolapse.