

SI (Digestive Issues)

Gene Report

REPORT CATEGORY —



NUTRITION

Sample Client

Report date: 15 January 2026

Powered by

 omicsedge

Table of Contents

03 How this works

- 04 Impact
- 05 Evidence
- 06 Some things to keep in mind

07 Introduction

08 Your genetics

DISCLAIMER

This report does not diagnose this or any other health conditions. Please talk to a healthcare professional if this condition runs in your family, you think you might have this condition, or you have any concerns about your results.

Personal information

NAME

Sample Client

SEX AT BIRTH


Male

HEIGHT

5ft 5" 165cm


WEIGHT

137lb 62kg



How this works

Our Wellness Reports analyze how your DNA influences your health.
We then use this analysis to give you personalized risk estimates and recommendations.




Similarly, our Trait Reports look at how your DNA influences your traits.



Your DNA is like an instruction manual — it contains a lot of information.
You can think of it as a blueprint for your body.

Genetic variants are parts of DNA that differ from person to person. Some can make you more vulnerable to certain health issues, while others may influence traits such as eye color.



We use artificial intelligence and machine learning to analyze all this information.
We then summarize your results as a risk score or display it on a gauge.

In total, we analyze up to 83 million genetic variants.

When we give a risk score, the risk icon tells you if you are at a higher or lower risk compared to other people:



Genotype color info:

AA

You don't have any risk alleles

AA

You have 1 risk allele

AA


You have 2 risk alleles

Your risk is also displayed as a percentile. This will tell you how your risks compare to our sample population. The lower your percentile number, the lower your risk. The "50th percentile" would be an average risk.

Similarly, the gauge tells you your relative risk score compared to our sample population, or it indicates a specific trait or haplotype you are more likely to have based on your genetic variants.

When applicable, we also list top evidence-based recommendations that may help lower your risk. The focus is on recommendations that may be of benefit to you, based on your genetics.

Our recommendations come in four categories: lifestyle, diet, supplements and drugs.
The following icons tell you which category a recommendation falls into:



Our team of scientists also ranks each recommendation.
We rank based on impact and the strength of evidence in the medical literature.

Impact shows how strongly a recommendation will affect your health in a certain area.
Evidence is how much scientific support there is for the recommendation. Rankings are from 1 to 5 (low to high):



Impact

Impact scores range from 1-5. These scores reflect how much of an effect each recommendation can have. An impact score of 5 predicts the biggest effect.

When a recommendation affects something we can measure, we use those measurements to assign the impact score. For example, a recommendation that decreases cholesterol by 20% will have a higher impact score than one that decreases it by 5%.

Some recommendations affect things that we cannot directly measure, like stress or mood. For these, the impact score is based on how well they work relative to other recommendations and standard treatments. The best ones get the highest scores.

If there is a lot of research that shows a recommendation works especially well for your genotype, the impact score gets increased.

Recommendation Evidence

- 5 / 5
- Recommendations that are considered effective and generally recommended by experts and medical bodies.
-
- 4 / 5
- Recommendations that are considered likely effective and that have multiple independent meta-analyses and a great many studies supporting them.
-
- 3 / 5
- Recommendations that are considered possibly effective and have many studies supporting them
-
- 2 / 5
- Recommendations that have insufficient evidence, with two or several clinical trials supporting them, or many studies but with ambiguous results.
-
- 1 / 5
- Recommendations that have insufficient evidence, with a single clinical trial, or with many studies most of which didn't find support for the recommendation.
-
- 0 / 5
- No evidence in humans.

Genotype-specific Evidence

- High-quality
- Direct evidence that a recommendation helps more in people with your gene variant (many clinical trials, a few large clinical trials, or a meta-analysis).
-
- Medium-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a few clinical trials or one large clinical trial).
-
- Low-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a single clinical trial or more trials with inconsistent results).
-
- Indirect
- A recommendation may help more in people with your gene variant because it targets a specific gene or protein affected by your variant (e.g., MTHFR, dopamine).
-
- In theory
- A recommendation may help more in people with your gene variant because it targets a specific mechanism affected by your variant (e.g., inflammation, oxidative stress).

Some things to keep in mind:

- Genetics doesn’t play a considerable role in a condition or a trait.
- There is not enough research available to estimate a genetic predisposition.
- There are technical limitations to estimating or presenting a genetic predisposition.
- The topic is sensitive, and a genetic predisposition should only be estimated and presented by a healthcare professional.

Introduction

The [S](#) gene encodes sucrase-isomaltase, a digestive enzyme responsible for digesting sucrose (table sugar), starch, and maltose (a sugar found in grains). In the human body, it is found in the small intestine, where it breaks down sugars before they are absorbed into the bloodstream [\[R\]](#), [\[R\]](#).

People with congenital sucrase-isomaltase deficiency (CSID) do not have functional SI enzymes and cannot digest sucrose, maltose, and starch. When they eat food containing these nutrients, they experience stomach cramps, bloating, gas production, and diarrhea. These problems can, in turn, cause malnutrition and impaired growth in children [\[R\]](#), [\[R\]](#).

SI Genetics

As far as we know, CSID is an autosomal recessive disorder, meaning that both copies of a person’s *SI* gene must be defective for them to suffer from CSID. There are currently four known variants that can cause CSID: Val577Gly (‘C’ of [rs121912615](#)), Gly1073Asp (‘T’ of [rs121912616](#)), Phe1745Cys (‘C’ of [rs79717168](#)), and Arg1124X (‘A’ of [rs200451408](#)). Any combination of these four mutations, as long as they are present on both copies of the *SI* gene, causes CSID [[R](#), [R](#), [R](#)].

While defective *SI* is best known for causing CSID, smaller reductions in *SI* activity could be responsible for some cases of IBS. In fact, one study of 1887 people found that *SI* variants were significantly more common in IBS patients than in matched controls [[R](#)].

The most significant mutation was ‘A’ at [rs9290264](#), which may reduce enzymatic activity by up to 35% compared to the *SI* enzyme without detrimental variants. This variant has been rated in the top 1% of most deleterious changes in the human genome. Carriers of this variant may be at increased risk of IBS-D and IBS-M. Moreover, following a low-FODMAP diet may be less effective at improving IBS symptoms in those with two copies [[R](#), [R](#), [R](#), [R](#)].

Two other *SI* variants with decreased activity and associated with reduced effectiveness of a low-FODMAP diet are ‘C’ at [rs147207752](#) and ‘G’ at [rs146785675](#) [[R](#)].



LOWER ACTIVITY

Predisposed to lower *SI* activity based on 5 genetic variants we looked at

Your top variants that most likely impact your genetic predisposition:

GENE	SNP	GENOTYPE
SI	rs9290264	AA
SI	rs79717168	AA
/	rs200451408	GG
SI	rs121912616	CC
SI	rs121912615	AA
SI	rs147207752	TT
SI	rs146785675	AA

The number of "risk" variants in this table doesn't necessarily reflect your overall result.