

Spleen Problems

DNA Health Report

REPORT CATEGORY —



IMMUNITY &
INFECTIONS

Sample Client

Report date: 15 January 2026

Powered by

 omicse Edge

Table of Contents

03 How this works

- 04 Impact
- 05 Evidence
- 06 Some things to keep in mind

07 Introduction

08 Your genetics

09 Your recommendations

17 Next Steps

- 17 Your Lab Results

DISCLAIMER

This report does not diagnose this or any other health conditions. Please talk to a healthcare professional if this condition runs in your family, you think you might have this condition, or you have any concerns about your results.

Personal information

NAME

Sample Client

SEX AT BIRTH


Male

HEIGHT

5ft 5" 165cm


WEIGHT

137lb 62kg



How this works

Our Wellness Reports analyze how your DNA influences your health.
We then use this analysis to give you personalized risk estimates and recommendations.




Similarly, our Trait Reports look at how your DNA influences your traits.



Your DNA is like an instruction manual — it contains a lot of information.
You can think of it as a blueprint for your body.

Genetic variants are parts of DNA that differ from person to person. Some can make you more vulnerable to certain health issues, while others may influence traits such as eye color.



We use artificial intelligence and machine learning to analyze all this information.
We then summarize your results as a risk score or display it on a gauge.

In total, we analyze up to 83 million genetic variants.

When we give a risk score, the risk icon tells you if you are at a higher or lower risk compared to other people:



Genotype color info:

AA

You don't have any risk alleles

AA

You have 1 risk allele

AA


You have 2 risk alleles

Your risk is also displayed as a percentile. This will tell you how your risks compare to our sample population. The lower your percentile number, the lower your risk. The "50th percentile" would be an average risk.

Similarly, the gauge tells you your relative risk score compared to our sample population, or it indicates a specific trait or haplotype you are more likely to have based on your genetic variants.

When applicable, we also list top evidence-based recommendations that may help lower your risk. The focus is on recommendations that may be of benefit to you, based on your genetics.

Our recommendations come in four categories: lifestyle, diet, supplements and drugs.
The following icons tell you which category a recommendation falls into:



Our team of scientists also ranks each recommendation.
We rank based on impact and the strength of evidence in the medical literature.

Impact shows how strongly a recommendation will affect your health in a certain area.
Evidence is how much scientific support there is for the recommendation. Rankings are from 1 to 5 (low to high):



Impact

Impact scores range from 1-5. These scores reflect how much of an effect each recommendation can have. An impact score of 5 predicts the biggest effect.

When a recommendation affects something we can measure, we use those measurements to assign the impact score. For example, a recommendation that decreases cholesterol by 20% will have a higher impact score than one that decreases it by 5%.

Some recommendations affect things that we cannot directly measure, like stress or mood. For these, the impact score is based on how well they work relative to other recommendations and standard treatments. The best ones get the highest scores.

If there is a lot of research that shows a recommendation works especially well for your genotype, the impact score gets increased.

Recommendation Evidence

- 5 / 5
- Recommendations that are considered effective and generally recommended by experts and medical bodies.
-
- 4 / 5
- Recommendations that are considered likely effective and that have multiple independent meta-analyses and a great many studies supporting them.
-
- 3 / 5
- Recommendations that are considered possibly effective and have many studies supporting them
-
- 2 / 5
- Recommendations that have insufficient evidence, with two or several clinical trials supporting them, or many studies but with ambiguous results.
-
- 1 / 5
- Recommendations that have insufficient evidence, with a single clinical trial, or with many studies most of which didn't find support for the recommendation.
-
- 0 / 5
- No evidence in humans.

Genotype-specific Evidence

- High-quality
- Direct evidence that a recommendation helps more in people with your gene variant (many clinical trials, a few large clinical trials, or a meta-analysis).
- Medium-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a few clinical trials or one large clinical trial).
- Low-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a single clinical trial or more trials with inconsistent results).
- Indirect
- A recommendation may help more in people with your gene variant because it targets a specific gene or protein affected by your variant (e.g., MTHFR, dopamine).
- In theory
- A recommendation may help more in people with your gene variant because it targets a specific mechanism affected by your variant (e.g., inflammation, oxidative stress).

Some things to keep in mind:

- Genetics doesn’t play a considerable role in a condition or a trait.
- There is not enough research available to estimate a genetic predisposition.
- There are technical limitations to estimating or presenting a genetic predisposition.
- The topic is sensitive, and a genetic predisposition should only be estimated and presented by a healthcare professional.

Introduction

The spleen is a vital organ found beneath the ribcage on the left side. It's involved in filtering damaged blood cells, producing white blood cells to combat infections, and storing platelets along with white blood cells. Diseases of the spleen can interfere with these essential functions and impact overall health.

Symptoms of spleen diseases include:

- Pain or fullness in the upper left abdomen.
- Fatigue or anemia.
- Frequent infections.
- Pain that radiates to the left shoulder.
- A feeling of fullness without eating.

Risk Factors and Management

Certain factors can increase the risk of spleen diseases:

- Trauma: Such as car accidents or sports injuries.
- Infections: Specific bacterial or viral infections.
- Blood disorders: Like sickle cell disease.
- Underlying conditions: Conditions like liver cirrhosis or certain cancers can indirectly affect spleen health.
- Genetics

Managing spleen diseases usually involves treating the underlying cause, which might include antibiotics for infections, therapies for blood disorders, or surgery in the case of a ruptured spleen. Preventing spleen diseases typically revolves around avoiding risk factors, such as protective measures to avoid injury.



TYPICAL LIKELIHOOD

Typical likelihood of having spleen disease based on 1,672 genetic variants we looked at



Your Recommendations

Your recommendations are prioritized according to the likelihood of it having an impact for you based on your genetics, along with the amount of scientific evidence supporting the recommendation.

You’ll likely find common healthy recommendations at the top of the list because they are often the most impactful and most researched.

DOSAGE		DOSAGE			
1	Omega-3 (Fish Oil)	2000 mg	2	Anti-Inflammatory Diet	
3	Stress Management Therapy	1 hour	4	Milk Thistle (Silymarin)	300 mg
5	Curcumin	500 mg	6	Tai Chi	1 hour
7	Probiotics	30 billion CFU			

1



Omega-3 (Fish Oil)

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Take 1-2 g of omega-3 (fish oil) supplement daily, preferably with a meal to enhance absorption.

TYPICAL STARTING DOSE

2000 mg

Description

Omega-3 fatty acids are essential fats found in fatty fish like salmon, flaxseeds, and walnuts. They are known for their potential cardiovascular and brain health benefits, including reducing the risk of heart disease and supporting cognitive function.

[Omega-3 fatty acids](#) are some of the healthiest fats we can eat. They help lower inflammation and protect the heart, brain, and eyes. Our bodies produce less omega-3s than we need for optimal health, so it's important to get enough through food or supplements [\[R\]](#), [\[R\]](#), [\[R\]](#).

There are three major types of omega-3s: ALA, EPA, and DHA [\[R\]](#), [\[R\]](#).

Fatty fish are rich in EPA and DHA. They include [\[R\]](#):

- Salmon
- Tuna
- Herring
- Sardines

For optimal protection, try to get at least **two servings of fatty fish per week**. Fish oil supplements are available for those who don't eat fish regularly [\[R\]](#).

How it helps

Omega-3 fats have anti-inflammatory properties that may help reduce inflammation in the spleen, improving its overall function.

2



Anti-Inflammatory Diet

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Incorporate foods rich in omega-3 fatty acids, such as salmon and flaxseeds, fruits, vegetables, nuts, and whole grains into your daily meals. Avoid processed foods, red meats, and refined sugars. Aim for a balanced diet consisting mostly of plant-based foods and lean protein sources, adjusting portions sizes to meet your individual nutritional needs and health goals.

Description

An anti-inflammatory diet focuses on reducing inflammation in the body by emphasizing foods rich in anti-inflammatory compounds, such as fruits, vegetables, fatty fish, nuts, and seeds, while minimizing processed foods and those high in added sugars and trans fats.

Anti-inflammatory diets use healthy foods to reduce inflammation. These diets are generally high in [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Colorful fruits and vegetables
- Nuts and seeds
- Fish
- Olive oil
- Tea

They also tend to restrict [\[R\]](#), [\[R\]](#):

- Processed food
- Sugar and refined carbs
- Red meat

The [Mediterranean diet](#) and the DASH diet are good examples of anti-inflammatory diets [\[R\]](#), [\[R\]](#).

How it helps

An Anti-Inflammatory Diet can help reduce inflammation in the body, including the spleen. Foods rich in antioxidants and omega-3 fatty acids can support the immune and circulatory systems.

3



Stress Management Therapy

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Engage in stress management therapy sessions, such as cognitive-behavioral therapy (CBT), for at least 1 hour per week over a course of 8 to 12 weeks. Techniques can include mindfulness, deep breathing exercises, and identifying stressors to develop coping strategies.

TYPICAL STARTING DOSE

1 hour

Description

Stress management therapy refers to various techniques and approaches aimed at reducing and coping with stress. It can improve mental and physical well-being by helping individuals better manage the effects of stress on their health.

How it helps

Managing stress helps support the immune system, which can reduce the strain on the spleen, an organ involved in filtering blood and immune responses.

4



Milk Thistle (Silymarin)

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Take a 300 mg milk thistle (silymarin) supplement daily with water, preferably with a meal for better absorption. Continue this regimen as advised by your healthcare provider.

TYPICAL STARTING DOSE

300 mg

Description

Silymarin is a natural plant extract derived from the milk thistle plant (*Silybum marianum*). It has been traditionally used for its potential anti-inflammatory and liver-protective properties. Silymarin consists of several flavonolignans, including silybin, silydianin, and silychristin.

Milk thistle (*Silybum marianum*) is a purple flowering plant in the daisy family. Traditionally, it has been used for liver problems. Some people also eat the leaves in salads [\[R, R\]](#).

The extract of milk thistle is called *silymarin* [\[R, R, R\]](#).

People use milk thistle to help with [\[R, R, R\]](#):

- Liver problems
- Blood sugar control
- Indigestion
- Skin problems

How it helps

Milk Thistle is known for its liver-protective properties, which may indirectly support spleen health by filtering out toxins and reducing liver strain, thereby helping the spleen.

5



Curcumin

IMPACT0 / 5

EVIDENCE0 / 5

How to implement

Take a 500 mg curcumin supplement daily with food. To enhance absorption, take it with a meal that contains fats or oils since curcumin is fat-soluble.

TYPICAL STARTING DOSE

500 mg

Description

Curcumin is a compound found in turmeric known for its anti-inflammatory and antioxidant properties. It has been studied for its potential to reduce inflammation, support joint health, and contribute to overall well-being.

[Turmeric](#) is a yellow spice from India. It may reduce inflammation and [oxidative stress](#) [R].

The most important active compound in turmeric is **curcumin**. People use curcumin for [R, R, R, R, R, R]:

- Joint pain
- Hay fever
- Mood
- High blood sugar
- Gut health
- Liver health

How it helps

Curcumin, found in turmeric, has anti-inflammatory and antioxidant properties, which can help reduce inflammation and protect spleen tissue from damage.

6



Tai Chi

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Practice Tai Chi for 30 to 60 minutes at least twice a week. Choose a quiet, spacious area and follow along with a qualified instructor, either in person at a class or through an online video tutorial, to ensure proper technique and maximum benefit.

TYPICAL STARTING DOSE

1 hour

Description

Tai Chi is a traditional Chinese mind-body practice involving slow, flowing movements and deep breathing. It is known for its potential to reduce stress, improve balance, and enhance overall physical and mental well-being.

Tai chi involves gentle movements and breathing to strengthen and relax the mind and body. Practicing tai chi may help [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Manage pain
- Improve fitness
- Increase well-being
- Improve sleep and mood

How it helps

Tai Chi promotes gentle, flowing movements that can improve blood circulation and reduce stress, helping to keep the spleen and overall immune function in balance.

7



Probiotics

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Take a probiotic supplement containing 10 billion or more live cultures once daily, preferably with a meal or as directed by the packaging or a healthcare provider.

TYPICAL STARTING DOSE
30 billion CFU

Description

Probiotics are live beneficial bacteria and yeasts that can support gut health and digestive function when consumed as supplements or found in fermented foods like yogurt and sauerkraut. They may be beneficial to gut health, immune function, blood sugar, and mood.

[Probiotic bacteria](#) are “good” bacteria found mainly in the large intestine. They support your body and mind by [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Maintaining gut health
- Supporting a healthy immune system
- Improving your mood
- Helping to maintain healthy blood sugar

Prebiotics are certain types of fiber and other complex carbs that serve as food for gut bacteria. **They support gut health by helping boost the activity and growth of “good” bacteria** [\[R\]](#), [\[R\]](#).

Prebiotics are also added to foods and supplements. Common prebiotic ingredients are [\[R\]](#), [\[R\]](#):

- Oligo-fructose
- Oligo-galactose
- [Inulin](#)

Mixtures of probiotics and prebiotics are known as **synbiotics** [\[R\]](#).

How it helps

Probiotics can strengthen the immune system and improve gut health, which may alleviate stress on the spleen by reducing the load of harmful bacteria it has to filter out from the bloodstream.

Next Steps

Remember, your genes only tell one important part of your health story!

Now that you've seen your DNA-based results for this health topic, let's take a look at other contributing factors.

Your lab results

Your lab results are impacted by the combined effect of your genes, environment and lifestyle.

Lab tests will give you the best picture of your current health status, while your genes provide insight into your health predispositions and which recommendations are best for you.

	AST	17 IU/L		9 Nov 2025
	WBC	6.92 x10^3/mm3		9 Nov 2025
	Platelet Count	215 x10^3/mm3		9 Nov 2025
	Hematocrit	51.8 %		9 Nov 2025
	Hemoglobin	17.1 g/dL		9 Nov 2025
	Bilirubin, Total	1 mg/dL		9 Nov 2025