

Systemic Sclerosis

Disease Report

REPORT CATEGORY —



INFLAMMATION &
AUTOIMMUNITY

Sample Client

Report date: 15 January 2026

Powered by

 omicsege

Table of Contents

03 How this works

- 04 Impact
- 05 Evidence
- 06 Some things to keep in mind

07 Introduction

08 Your genetics

10 Your recommendations

33 Next Steps

- 33 Your Lab Results

DISCLAIMER

This report does not diagnose this or any other health conditions. Please talk to a healthcare professional if this condition runs in your family, you think you might have this condition, or you have any concerns about your results.

Personal information

NAME

Sample Client

SEX AT BIRTH


Male

HEIGHT

5ft 5" 165cm


WEIGHT

137lb 62kg



How this works

Our Wellness Reports analyze how your DNA influences your health.
We then use this analysis to give you personalized risk estimates and recommendations.




Similarly, our Trait Reports look at how your DNA influences your traits.



Your DNA is like an instruction manual — it contains a lot of information.
You can think of it as a blueprint for your body.

Genetic variants are parts of DNA that differ from person to person. Some can make you more vulnerable to certain health issues, while others may influence traits such as eye color.



We use artificial intelligence and machine learning to analyze all this information.
We then summarize your results as a risk score or display it on a gauge.

In total, we analyze up to 83 million genetic variants.

When we give a risk score, the risk icon tells you if you are at a higher or lower risk compared to other people:



Genotype color info:

AA

You don't have any risk alleles

AA

You have 1 risk allele

AA


You have 2 risk alleles

Your risk is also displayed as a percentile. This will tell you how your risks compare to our sample population. The lower your percentile number, the lower your risk. The "50th percentile" would be an average risk.

Similarly, the gauge tells you your relative risk score compared to our sample population, or it indicates a specific trait or haplotype you are more likely to have based on your genetic variants.

When applicable, we also list top evidence-based recommendations that may help lower your risk. The focus is on recommendations that may be of benefit to you, based on your genetics.

Our recommendations come in four categories: lifestyle, diet, supplements and drugs.
The following icons tell you which category a recommendation falls into:



Our team of scientists also ranks each recommendation.
We rank based on impact and the strength of evidence in the medical literature.

Impact shows how strongly a recommendation will affect your health in a certain area.
Evidence is how much scientific support there is for the recommendation. Rankings are from 1 to 5 (low to high):



Impact

Impact scores range from 1-5. These scores reflect how much of an effect each recommendation can have. An impact score of 5 predicts the biggest effect.

When a recommendation affects something we can measure, we use those measurements to assign the impact score. For example, a recommendation that decreases cholesterol by 20% will have a higher impact score than one that decreases it by 5%.

Some recommendations affect things that we cannot directly measure, like stress or mood. For these, the impact score is based on how well they work relative to other recommendations and standard treatments. The best ones get the highest scores.

If there is a lot of research that shows a recommendation works especially well for your genotype, the impact score gets increased.

Recommendation Evidence

- 5 / 5
- Recommendations that are considered effective and generally recommended by experts and medical bodies.
-
- 4 / 5
- Recommendations that are considered likely effective and that have multiple independent meta-analyses and a great many studies supporting them.
-
- 3 / 5
- Recommendations that are considered possibly effective and have many studies supporting them
-
- 2 / 5
- Recommendations that have insufficient evidence, with two or several clinical trials supporting them, or many studies but with ambiguous results.
-
- 1 / 5
- Recommendations that have insufficient evidence, with a single clinical trial, or with many studies most of which didn't find support for the recommendation.
-
- 0 / 5
- No evidence in humans.

Genotype-specific Evidence

- High-quality
- Direct evidence that a recommendation helps more in people with your gene variant (many clinical trials, a few large clinical trials, or a meta-analysis).
-
- Medium-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a few clinical trials or one large clinical trial).
-
- Low-quality
- Direct evidence that a recommendation helps more in people with your gene variant (a single clinical trial or more trials with inconsistent results).
-
- Indirect
- A recommendation may help more in people with your gene variant because it targets a specific gene or protein affected by your variant (e.g., MTHFR, dopamine).
-
- In theory
- A recommendation may help more in people with your gene variant because it targets a specific mechanism affected by your variant (e.g., inflammation, oxidative stress).

Some things to keep in mind:

- Genetics doesn’t play a considerable role in a condition or a trait.
- There is not enough research available to estimate a genetic predisposition.
- There are technical limitations to estimating or presenting a genetic predisposition.
- The topic is sensitive, and a genetic predisposition should only be estimated and presented by a healthcare professional.

Introduction

Systemic sclerosis, also called scleroderma, is a chronic autoimmune rheumatic disease characterized by hardening and tightening of the skin and connective tissues due to the excessive production of collagen. It's a rare and complex condition that affects the skin, blood vessels, internal organs, and the digestive system. The severity varies, with some cases being mild and others life-threatening [\[R\]](#).

Systemic sclerosis is often categorized as "limited" or "diffuse," which refers only to the degree of skin involvement. Both types can involve any of the other vascular or organ problems. Localized scleroderma, also known as *morphea*, affects only the skin.

The signs and symptoms vary from person to person, depending on which parts of the body are affected [\[R\]](#):

- Skin symptoms: Nearly everyone who has systemic sclerosis experiences thickening, hardening, or tightening of the skin, particularly on the hands, face, and feet. Affected skin can become lighter or darker in color and may look shiny because of the tightness. Some people also experience small red spots, called *telangiectasia*, on their hands and face
- Raynaud's phenomenon: Fingers or toes turn blue or white in response to cold temperatures or stress because of an inappropriate and exaggerated contraction of the small blood vessels.
- Digestive symptoms: Systemic sclerosis can affect any part of the digestive system and cause symptoms such as heartburn, difficulty swallowing, bloating, diarrhea, or fecal incontinence.
- Heart and lung problems: When systemic sclerosis affects the heart or lungs, it can cause shortness of breath, decreased exercise tolerance, and dizziness. It can cause scarring in the lung tissues, which may result in increasing shortness of breath over time. Systemic sclerosis can also cause the blood pressure to increase in the circulation that goes between the heart and the lungs (pulmonary hypertension). This can cause excess fluid in the legs, feet, and sometimes around the heart. When systemic sclerosis affects the heart, heartbeats can become irregular. Heart failure may also occur in some people.

Risk Factors and Management

Risk factors for systemic sclerosis include [\[R\]](#):

- Gender: Anyone can get systemic sclerosis, but it’s more common in women.
- Age: Systemic sclerosis is typically diagnosed between the ages of 30 and 50.
- Environmental triggers: Exposure to certain viruses, drugs, or toxins can increase the risk of systemic sclerosis or trigger the symptoms. However, an environmental trigger is not identified for most people.
- Immune system problems: Systemic sclerosis is believed to be an autoimmune disease. People who have systemic sclerosis may also have symptoms of another autoimmune disease such as rheumatoid arthritis, lupus, or Sjögren's syndrome.

The precise genetic basis of systemic sclerosis is not fully understood, but genetic factors are believed to play a role, especially when combined with environmental triggers. Certain genetic markers have been associated with an increased risk of developing the disease.

There are no known preventive measures for systemic sclerosis. However, early diagnosis and management are crucial to prevent serious complications. Patients should regularly consult with rheumatologists and other specialists for comprehensive care and monitoring.

There is no treatment that can cure or stop the overproduction of collagen that is characteristic of systemic sclerosis. But a variety of treatments can help control symptoms and prevent complications. Examples of treatments include [\[R\]](#):

- Medications to improve blood flow, suppress the immune system, or manage symptoms like acid reflux and high blood pressure.
- Physical therapy to maintain joint flexibility and strength.
- Stem cell transplants might be an option for people who have severe symptoms that haven't responded to more-common treatments.
- If the lungs or kidneys have been severely damaged, organ transplants might be considered.



TYPICAL LIKELIHOOD

Typical likelihood of systemic sclerosis based on 12,699 genetic variants we looked at

Your top variants that most likely impact your genetic predisposition:

GENE	SNP	GENOTYPE
IRF3	rs76246107	GG
NCF2	rs17849502	GT
GLS	rs13389408	TC
CCDC116	rs5754467	GA
IRF5	rs10954214	CT
PTTG1	rs2431098	GA
PRDX6	rs2422345	GA
TNFAIP3	rs58721818	CC
METTL27	rs193107685	TT
TNPO3	rs13238352	CC
PTPN22	rs6679677	CC
TRIM59	rs112846137	GG
BLK	rs2736337	TT
DNASE1L3	rs35677470	GG
TNIP1	rs4958880	CC
IDUA	rs13101828	AA
ALDH2	rs11066301	GA

The number of "risk" variants in this table doesn't necessarily reflect your overall result.

Your Recommendations

Your recommendations are prioritized according to the likelihood of it having an impact for you based on your genetics, along with the amount of scientific evidence supporting the recommendation.

You’ll likely find common healthy recommendations at the top of the list because they are often the most impactful and most researched.

		DOSAGE			DOSAGE
1	Aerobic Exercise (Cardio)	1 hour	2	Mediterranean Diet	
3	Autogenic Training	10 minutes	4	N-acetylcysteine (NAC)	1200 mg
5	Maintain Optimal Vitamin D Levels	1000 iu	6	Avoid Cold Exposure	
7	Apply Heat	15 minutes	8	Exercise At Least One Hour a Day	1 hour
9	Relaxation Techniques	30 minutes	10	Swimming	30 minutes
11	Social Activity	1 hour	12	Dietary Omega-3 Fatty Acids	
13	Vitamin D and Calcium		14	Stretching	15 minutes
15	Mindfulness-Based Stress Reduction (MBSR)	2 hours	16	Aquatic Exercise	1 hour
17	Regular Sleep Schedule		18	Avoid Exposure To Organic Solvents	
19	Physical Therapy	30 minutes	20	Avoid Strenuous Activity	
21	Avoid Sugary Foods & Drinks		22	Support Groups	
23	Tai Chi	1 hour	24	Omega-3 (Fish Oil)	2000 mg
25	Fruits And Vegetables				

1



Aerobic Exercise (Cardio)

IMPACT3 / 5

EVIDENCE3 / 5

How to implement

Engage in at least 150 minutes of moderate-intensity aerobic exercise or 75 minutes of vigorous-intensity activity each week. Distribute this time over at least 3 days per week, avoiding consecutive days of vigorous exercise to allow for recovery.

TYPICAL STARTING DOSE

1 hour

Description

Engaging in regular aerobic exercise, such as running, swimming, or cycling, offers numerous health benefits, including improved cardiovascular fitness, weight management, and mood enhancement. It supports overall physical and mental well-being while reducing the risk of chronic diseases.

Cardio, short for cardiovascular exercise, is any type of physical activity that temporarily increases your heart rate. Examples include **running, cycling, swimming, and brisk walking**.

Regular cardio exercise has many benefits for your overall health. It can help lower your risk of heart disease and diabetes, support weight loss, and improve your mood and energy levels. To get the most out of cardio, try to do it for at **least 30 minutes, 3-5 times a week**.

Interval training is a type of cardio that combines periods of high-intensity training with brief rest periods.

How it helps

Home-based physical activity interventions may improve functional capacity and quality of life while reducing disease activity in people with systemic sclerosis and other rheumatic disorders [R].

Aerobic exercise in particular may improve [R, R, R, R]:

- Aerobic capacity
- Muscle endurance
- Blood vessel function
- Fatigue
- Breathing difficulties
- Quality of life

Aerobic exercise may help by improving circulation and cardiovascular health.

2



Mediterranean Diet

IMPACT

1 / 5

EVIDENCE

1 / 5

How to implement

Incorporate a variety of primarily plant-based foods, such as fruits, vegetables, whole grains, nuts, and legumes, into every meal. Choose healthy fats, like olive oil, over saturated fats and consume fish and poultry at least twice a week. Limit red meat to a few times a month and include a moderate amount of dairy products. Opt for water and red wine in moderation as your beverages.

Description

The [Mediterranean diet](#) is based on the traditional cuisine from the Mediterranean regions. It moderates the intake of red meat and dairy, while being rich in fruits and vegetables, whole grains, and healthy fats ([olive oil](#)).

The [Mediterranean diet](#) focuses on traditional cuisine from the Mediterranean regions. It’s rich in [\[R\]](#):

- [Olive oil](#)
- Fruits and vegetables
- Whole grains
- Nuts and seeds
- Fish

This type of diet may **reduce inflammation and protect the brain and heart** [\[R, R, R, R\]](#).

Limited intake of animal products, saturated fat, and refined sugar likely contribute to the health benefits of the Mediterranean diet [\[R\]](#).

How it helps

A study of 387 patients with systemic sclerosis associated a low adherence to a Mediterranean diet with worse quality of life and mood [\[R\]](#).

The Mediterranean diet may help through its anti-inflammatory effects.

3



Autogenic Training

IMPACT1 / 5

EVIDENCE1 / 5

How to implement

Practice autogenic training for 10-15 minutes daily, ideally in a quiet, comfortable space where you won't be disturbed. Sit or lie down in a comfortable position, close your eyes, and focus on calming your mind and body through self-suggested affirmations. Repeat this routine daily for at least 2-3 months to observe beneficial effects on stress reduction and relaxation.

TYPICAL STARTING DOSE

10 minutes

Description

Autogenic training is a relaxation technique that involves self-suggestion and progressive muscle relaxation to promote relaxation, reduce stress, and alleviate symptoms of anxiety and tension.

Autogenic training is a relaxation technique that a person may carry out on their own [\[R\]](#), [\[R\]](#).

Autogenic training uses 6 exercises that take the mind’s attention to bodily sensations such as warmth and heaviness. The exercises involve guided imagery and verbal cues (e.g. "My arm is very heavy") to [\[R\]](#), [\[R\]](#):

- Relax the body
- Quiet and calm the mind
- Increase energy

How it helps

In a non-placebo-controlled trial of 12 patients with systemic sclerosis, autogenic training increased finger skin temperature, but only in the short term. Nevertheless, two patients reported shortened Raynaud attacks [\[R\]](#).

4



N-acetylcysteine (NAC)

IMPACT1 / 5

EVIDENCE1 / 5

How to implement

Take 600 mg of N-Acetylcysteine (NAC) supplement daily with water. It can be taken at any time of the day, but try to take it at the same time each day for best results.

TYPICAL STARTING DOSE

1200 mg

Description

NAC is a supplement that contains a form of the amino acid cysteine, a protein building block that your body uses to make the antioxidant glutathione. It is used for its potential antioxidant properties and its ability to support lung, gut, and mental health.

[N-acetylcysteine](#) (NAC) is converted to cysteine in the body. Cysteine is a protein building block (amino acid) that helps make the antioxidant glutathione [\[R\]](#).

People take NAC to potentially support [\[R\]](#), [\[R\]](#):

- Mental health
- Ovarian health and pregnancy outcomes
- Lung health
- Gut health

How it helps

A study in diffuse SSc patients found that NAC helped maintain lung function, preventing a significant decrease in diffusion capacity [\[R\]](#).

A one-year study in progressive systemic sclerosis (PSS) patients showed that NAC **did not significantly affect most parameters**. Some simple measures like oral aperture and hand spread may be useful in future PSS drug trials [\[R\]](#).

5



Maintain Optimal Vitamin D Levels

IMPACT

1 / 5

EVIDENCE

1 / 5

How to implement

Check your vitamin D levels, they should ideally be in the 30-66 ng/mL range. If your levels are lower than that, take a vitamin D supplement, 1000-4000 IU daily, to reach an optimal range.

TYPICAL STARTING DOSE

1000 iu

Description

Vitamin D, often referred to as the "sunshine vitamin," can be synthesized by the skin when exposed to sunlight, as well as being found in fish, eggs, and fortified milk. It helps regulate calcium absorption, promoting strong bones and a healthy immune system. Vitamin D deficiency can lead to conditions like rickets in children and osteoporosis in adults.

Your body needs [vitamin D](#) for strong bones. Vitamin D also plays a role in [\[R\]](#):

- Mood
- Immunity
- Heart health
- Blood sugar control

[Sunlight](#) is our main source of vitamin D. Experts recommend getting at least **5-15 minutes of midday sun, 2-3 times per week**. People with darker skin and those living at high latitudes may need longer periods of sun exposure [\[R, R\]](#).

Foods like fish, eggs, and fortified milk provide small amounts of vitamin D. **People lacking vitamin D should consider taking a supplement** [\[R\]](#).

How it helps

A review emphasized that vitamin D's immunomodulatory, cardioprotective, and anti-fibrotic properties could influence the pathogenesis of systemic sclerosis [\[R\]](#).

A systematic review noted a high prevalence of vitamin D deficiency in systemic sclerosis patients, suggesting a potential association with clinical and serologic patterns of the disease. Nonetheless, the effectiveness of vitamin D intervention for managing systemic sclerosis still lacks robust support [\[R\]](#).

6



Avoid Cold Exposure

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Minimize your time outdoors during cold weather. When you must go out, wear appropriate clothing such as insulated jackets, hats, gloves, and waterproof boots to protect against the cold. It's especially important to keep your extremities covered to prevent frostbite. Aim to limit outdoor exposure on very cold days and try to stay indoors, where it's warm, as much as possible.

Description

Avoiding prolonged exposure to extreme cold temperatures is essential for preventing cold-related health issues like fatigue, hypothermia, and slower body functions. Cold exposure may be risky for people with respiratory conditions like asthma and those with blood vessel problems.

Cold exposure occurs when the body is exposed to lower-than-normal temperatures for a prolonged period of time. It can happen when someone is immersed in cold water or outdoors without proper clothing or shelter [\[R\]](#).

Cold exposure may cause the body's core temperature to drop, which results in shivering and muscle stiffness. Prolonged or extreme cold exposure may lead to [\[R, R\]](#):

- Slower body functions
- Fatigue
- Confusion
- Hypothermia

Cold exposure may be risky for people with respiratory conditions like asthma and those with blood vessel problems [\[R\]](#).

How it helps

Cold exposure can trigger Raynaud's phenomenon, which is a common symptom of systemic sclerosis, leading to decreased blood flow to extremities.

7



Apply Heat

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Place a warm, not hot, heating pad or a warm wet towel on the affected area for 15-20 minutes at a time. Do this several times a day, ensuring there's at least a 1-hour interval between sessions to avoid skin damage.

TYPICAL STARTING DOSE

15 minutes

Description

Applying heat, such as through heating pads or warm baths, can help relieve muscle tension and soothe pain. It is a common method for managing muscle aches, menstrual cramps, and minor injuries.

People use hot applications to relieve pain, improve blood flow, and more [\[R\]](#), [\[R\]](#).

Types of hot applications include [\[R\]](#), [\[R\]](#):

- Heating pads
- Hot baths
- Saunas
- Hot water bottles

How it helps

Applying heat can help relieve joint stiffness and pain, which is common in systemic sclerosis due to skin thickening and tightening.

8



Exercise At Least One Hour a Day

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Dedicate a minimum of 60 minutes to moderate-intensity activities such as brisk walking, swimming, or cycling. Do this most days of the week, aiming for at least 5 days to optimize benefits.

TYPICAL STARTING DOSE

1 hour

Description

[Exercise](#) can do wonders for your health. It can help you lose weight, improve your heart health, boost your mood, and more [\[R\]](#).

There are many ways you can be active. You can walk, run, swim, dance, or play team sports. **Everything counts, and it's never too late to start!**

Try to get at least **60 minutes of moderate physical activity on most days**, including walking. **Getting a mix of cardio (min 150 min/day) and strength training (min 2 times a week) may be optimal.**

How it helps

Regular exercise improves circulation, reduces stiffness, and enhances overall well-being, which can help manage symptoms of systemic sclerosis.

9



Relaxation Techniques

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Incorporate relaxation techniques such as deep breathing exercises, meditation, or yoga into your daily routine. Spend at least 15-30 minutes each day practicing one of these techniques, preferably in a quiet, comfortable space without interruptions.

TYPICAL STARTING DOSE

30 minutes

Description

Relaxation techniques encompass various methods like deep breathing, yoga, meditation, and progressive muscle relaxation, aimed at reducing stress and promoting mental and physical relaxation. Practicing these techniques regularly can help manage stress, improve mental clarity, and enhance overall emotional well-being.

We all get stressed from time to time.

[Stress](#) can help you deal with a challenge or avoid danger. However, **it’s not healthy to be stressed for a long time** [\[R, R\]](#).

Relaxation techniques such as [yoga](#) and [meditation](#) can relieve stress in different ways. Most of them focus on breathing and help you get rid of negative thoughts and emotions [\[R\]](#).

People use relaxation techniques to improve conditions like [\[R, R, R\]](#):

- Anxiety
- Depression
- Chronic pain

Progressive muscle relaxation is another relaxation technique. In this technique, you focus on tensing and relaxing different parts of your body. It is common to start with the toes and slowly work your way up to the neck and head [\[R, R\]](#).

Autogenic training is a relaxation technique that a person may carry out on their own. It uses exercises that take the mind’s attention to bodily sensations such as warmth and heaviness [\[R, R\]](#).

How it helps

Relaxation techniques help in reducing muscle tension and stress, which can alleviate some symptoms of systemic sclerosis.

10



Swimming

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Incorporate swimming into your routine for at least 30 minutes, 3 times a week. Choose a pace and stroke that keeps your heart rate elevated yet allows you to breathe comfortably. Continue this practice regularly for long-term health benefits.

TYPICAL STARTING DOSE

30 minutes

Description

Swimming is a whole-body workout that engages various muscle groups, promoting strength and endurance. It helps keep the heart and lungs healthy, improves flexibility, and can even help reduce stress. Regular swimming is a great way to maintain a balanced, fit, and healthy lifestyle.

How it helps

Swimming is a low-impact exercise that can help maintain muscle strength and joint flexibility without putting stress on the joints, which is beneficial for systemic sclerosis patients.

11



Social Activity

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Participate in group activities or gatherings with friends, family, or community members at least twice a week. This could include joining clubs, attending local events, or scheduling regular outings with friends. Aim for these social engagements to last at least an hour each time to foster meaningful connections and conversations.

TYPICAL STARTING DOSE

1 hour

Description

Engaging in social activities, such as spending time with friends and family or participating in group events, can have numerous mental and emotional health benefits. It helps reduce feelings of loneliness, enhances mood, and promotes a sense of belonging and well-being.

Social activities involve physical and mental activities with others that you enjoy and find meaningful. There are plenty of ways to stay socially active and maintain social well-being as you age.

Research has shown that a socially active lifestyle [\[R\]](#):

- Makes you less likely to develop certain chronic conditions.
- May promote a longer lifespan.
- Can improve mood and mental health.
- Can improve memory and other aspects of cognition.

How it helps

Participating in social activities can improve mental health and reduce stress, which might have a positive impact on overall quality of life for those with systemic sclerosis.

12



Dietary Omega-3 Fatty Acids

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Incorporate foods high in omega-3 fatty acids into your diet daily. This includes eating fish such as salmon, mackerel, and sardines at least twice a week. Alternatively, include a tablespoon of flaxseed oil or chia seeds in your daily diet.

Description

[Omega-3 fatty acids](#) are some of the healthiest fats we can eat. They help lower inflammation and protect the heart, brain, and eyes. Our bodies produce less omega-3s than we need for optimal health, so it's important to get enough through food or supplements [\[R\]](#), [\[R\]](#), [\[R\]](#).

There are three major types of omega-3s: ALA, EPA, and DHA. **EPA and DHA are vital for mental and heart health** [\[R\]](#), [\[R\]](#), [\[R\]](#).

Fatty fish are rich in EPA and DHA. They include [\[R\]](#):

- Salmon
- Tuna
- Herring
- Sardines

For optimal health, try to get at least **two servings of fatty fish per week**. Fish oil supplements are available for those who don't eat fish regularly [\[R\]](#).

How it helps

Omega-3 fatty acids can help lower inflammation levels, which may help manage systemic sclerosis symptoms.

13



Vitamin D and Calcium

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Take 600 IU of vitamin D and 1000 mg of calcium daily. For adults over 70 years, the vitamin D intake should be increased to 800 IU daily. These supplements can be taken together or separately, usually with a meal to enhance absorption, and it is advisable to continue this regimen as part of your daily routine indefinitely unless advised otherwise by a healthcare provider.

Description

Vitamin D plus calcium supplements typically combine vitamin D, often sourced from sunlight exposure or dietary sources, with calcium, primarily found in dairy products and leafy greens. This combination is used to promote bone health, reduce the risk of osteoporosis, and support overall musculoskeletal well-being.

How it helps

Vitamin D can help modulate the immune system and reduce inflammation, which may benefit systemic sclerosis patients.

14



Stretching

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Incorporate stretching exercises into your daily routine, dedicating at least 10-15 minutes each day. Focus on major muscle groups such as the neck, shoulders, chest, back, hips, and legs. For best results, stretch both before and after other physical activities, holding each stretch for 15-30 seconds without bouncing.

TYPICAL STARTING DOSE

15 minutes

Description

Stretching involves gently elongating the muscles to improve flexibility, reduce muscle tension, and enhance joint mobility. Regular stretching can help prevent injuries, promote better posture, and increase overall physical comfort.

Stretching is a form of physical exercise that involves moving a muscle or group of muscles to their maximum range of motion. The most common types are **dynamic** (involving movement) and **static** stretching.

Stretching can help **improve flexibility, range of motion, and posture**. It may also relieve stress, reduce muscle soreness and tension, increase blood flow, and reduce the risk of injuries.

To get the most out of stretching, try to do it regularly, breathe deeply, and ease into the stretches.

How it helps

Stretching can help maintain skin elasticity and joint mobility, which may be compromised due to the fibrosis associated with systemic sclerosis.

15



Mindfulness-Based Stress Reduction (MBSR)

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Enroll in an 8-week MBSR course, which includes a weekly 2.5-hour class, one all-day class after the sixth week, and 45 minutes of daily home practice guided by assignments and instructional recordings.

TYPICAL STARTING DOSE

2 hours

Description

Mindfulness-Based Stress Reduction (MBSR) is a structured program that teaches mindfulness techniques to reduce stress and improve overall mental and emotional health. MBSR has been shown to help individuals cope with chronic pain, anxiety, and other stress-related conditions.

How it helps

MBSR helps in reducing stress and anxiety, which can exacerbate the symptoms of systemic sclerosis.

16



Aquatic Exercise

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Participate in aquatic exercise sessions, such as swimming or water aerobics, for 60 minutes, 3 to 5 times per week. Ensure the exercise intensity is moderate, allowing you to talk but not sing during the activity. Consistency over time is key, so aim to incorporate this into your weekly routine for at least 3 to 6 months to observe benefits.

TYPICAL STARTING DOSE

1 hour

Description

Aquatic exercise involves physical activity performed in water, such as swimming, water aerobics, or aquatic therapy. It is gentle on the joints, making it suitable for individuals with mobility issues, and can help improve cardiovascular fitness and muscle strength.

Aquatic exercise is any type of low-impact physical activity performed in a pool. In this type of cardio exercise, water helps the body float, which reduces gravity and makes the practice more comfortable and tolerable [\[R\]](#), [\[R\]](#).

Compared to land-based exercise, aquatic exercise may be better by [\[R\]](#):

- Reducing the stress and impact on joints
- Lowering fracture risk

Hence, it is usually **recommended for the elderly**. Aquatic exercise is also suitable for people who don't know how to swim [\[R\]](#).

How it helps

Exercising in water provides low-impact resistance and can improve flexibility and strength without putting too much stress on the joints, which is helpful for systemic sclerosis patients.

17



Regular Sleep Schedule

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Go to bed and wake up at the same time every day, even on weekends and holidays. This helps regulate your body's internal clock, leading to better sleep quality. Aim for 7-9 hours of sleep per night.

Description

Maintaining a regular sleep schedule involves going to bed and waking up at consistent times each day. This practice helps regulate the body's internal clock and promotes better sleep quality, mood, and cognitive function.

How it helps

Maintaining a regular sleep schedule can improve overall well-being and help manage fatigue, which is a common symptom in systemic sclerosis.

18



Avoid Exposure To Organic Solvents

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Ensure to work in well-ventilated areas and wear protective gear when handling products like paints, varnishes, and adhesives. When possible, choose solvent-free or water-based products to minimize exposure. Regularly check labels for any solvents listed and strive to limit their use in both personal and professional settings.

Description

Avoiding exposure to organic solvents, commonly found in paints, adhesives, and cleaning products, can protect against the potential health risks associated with inhalation or skin contact, such as respiratory issues and skin irritation.

Organic solvents are used in various industries and workplaces for tasks like cleaning, painting, and manufacturing.

However, their use can be hazardous to workers' health. Exposure to these solvents can lead to problems such as breathing difficulties, skin irritation, and reduced fertility [R].

How it helps

Organic solvents can potentially exacerbate systemic sclerosis or be a risk factor in its development, so avoiding them may help manage the condition.

19



Physical Therapy

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Attend physical therapy sessions 2-3 times per week for a duration of 4-6 weeks, depending on your specific condition and the advice of your healthcare provider. Each session typically lasts about 30-60 minutes, where a licensed therapist will guide you through targeted exercises, stretches, and possibly other treatments like electrical stimulation or ultrasound therapy.

TYPICAL STARTING DOSE

30 minutes

Description

Physical therapy is a therapeutic practice focused on optimizing physical function and mobility through specialized exercises, manual techniques, and therapeutic modalities. It helps individuals recover from injuries, manage chronic conditions, and improve overall physical well-being by enhancing strength, flexibility, and pain management.

Physical therapy (physiotherapy) helps people regain or maintain their ability to move [\[R\]](#).

Physical therapy can involve [\[R\]](#):

- Joint or muscle exercises
- Corrective movements
- Massage
- Education and advice

People mainly use physical therapy to help with [\[R\]](#), [\[R\]](#):

- Pain and injury
- Stroke recovery
- Chronic health conditions
- Headaches

Mirror therapy uses a mirror placed between the arms or legs. The image of a moving arm or leg gives the illusion of normal movement in the affected one. This therapy stimulates different brain regions and aims to improve mobility [\[R\]](#).

Constraint-induced movement therapy is another type of physical therapy. It consists of restraining the healthy leg or arm to increase the use of the affected one [\[R\]](#).

How it helps

Physical therapy can help scleroderma patients maintain and improve joint mobility, flexibility, and muscle strength. It's particularly useful in managing the tightening of skin and connective tissues associated with the condition.

20



Avoid Strenuous Activity

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Refrain from participating in high-intensity physical activities such as running, heavy weightlifting, and high-impact sports. Opt instead for low-impact exercises like walking, swimming, or yoga. It's important to listen to your body's signals and rest as needed, avoiding these strenuous activities until advised otherwise by a health professional.

Description

Avoiding strenuous physical activity in certain medical conditions or during illness can help prevent injury and promote better recovery. It allows the body to conserve energy and supports the healing process.

Strenuous activity is physical activity that requires a lot of effort. Exercise done at 70-85% of a person’s heart rate is considered strenuous. Examples include [\[R\]](#):

- Running, cycling, or swimming at high speed
- Running or hiking uphill
- Jumping rope
- Single tennis
- Sports that involve a lot of running (soccer, basketball, hockey, etc.)

On the other hand, strenuous daily activities include [\[R\]](#):

- Lifting and carrying heavy objects
- Gardening with heavy digging
- Shoveling snow
- Fast dancing

How it helps

Strenuous activity can cause fatigue and worsen symptoms like joint pain in individuals with systemic sclerosis.

21



Avoid Sugary Foods & Drinks

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

To avoid sugary foods, eliminate or significantly reduce consumption of foods and beverages high in added sugars such as sodas, candies, baked goods, and sugary cereals from your diet. Instead, opt for natural sugar sources like fruits. Aim to do this daily for ongoing health benefits.

Description

High-sugar foods like baked goods, sweets, and sugary drinks, can spike your blood sugar levels. Consuming a lot of these types of foods can contribute to health issues like diabetes, obesity, insomnia, and heart disease.

High-sugar foods and refined carbs have a high glycemic index (GI). This means they tend to spike your blood sugar levels. They include [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Sugary drinks
- Baked goods
- Sweets
- White bread
- White rice
- Pasta

Eating a lot of sugary foods can contribute to:

- Diabetes [\[R\]](#), [\[R\]](#), [\[R\]](#)
- Weight gain and obesity [\[R\]](#), [\[R\]](#)
- Insomnia [\[R\]](#)
- Heart disease [\[R\]](#)

You may also want to avoid processed sugars and sugary drinks. They may have a role in increasing IL-1B [\[R\]](#), [\[R\]](#).

How it helps

Excessive sugar intake can lead to increased inflammation, which may exacerbate symptoms of systemic sclerosis.

22



Support Groups

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Attend a support group meeting related to your condition at least once a week. These meetings can be found through local hospitals, online platforms, or health organizations specific to your condition. Participation can be in-person or virtual, depending on what is offered and your preference.

Description

Support groups are gatherings of individuals facing similar challenges, where they can share experiences, emotions, and coping strategies. They offer emotional support, camaraderie, and valuable insights for those dealing with various health conditions or life circumstances.

Support groups involve people with similar struggles helping each other. Support groups usually take place in a casual setting. During sessions, people share their [\[R\]](#):

- Knowledge
- Experiences
- Coping strategies
- Understanding of the recovery process

Support groups may help support recovery from addictions [\[R\]](#).

How it helps

Joining support groups can provide emotional support and practical advice from others who understand the condition. Sharing experiences and coping strategies can significantly aid in managing feelings of isolation and anxiety.

23



Tai Chi

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Practice Tai Chi for 30 to 60 minutes at least twice a week. Choose a quiet, spacious area and follow along with a qualified instructor, either in person at a class or through an online video tutorial, to ensure proper technique and maximum benefit.

TYPICAL STARTING DOSE

1 hour

Description

Tai Chi is a traditional Chinese mind-body practice involving slow, flowing movements and deep breathing. It is known for its potential to reduce stress, improve balance, and enhance overall physical and mental well-being.

Tai chi involves gentle movements and breathing to strengthen and relax the mind and body. Practicing tai chi may help [\[R\]](#), [\[R\]](#), [\[R\]](#):

- Manage pain
- Improve fitness
- Increase well-being
- Improve sleep and mood

How it helps

Tai Chi improves joint flexibility and blood circulation, which can be beneficial for managing systemic sclerosis symptoms like joint stiffness and skin tightening.

24



Omega-3 (Fish Oil)

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Take 1-2 g of omega-3 (fish oil) supplement daily, preferably with a meal to enhance absorption.

TYPICAL STARTING DOSE

2000 mg

Description

Omega-3 fatty acids are essential fats found in fatty fish like salmon, flaxseeds, and walnuts. They are known for their potential cardiovascular and brain health benefits, including reducing the risk of heart disease and supporting cognitive function.

[Omega-3 fatty acids](#) are some of the healthiest fats we can eat. They help lower inflammation and protect the heart, brain, and eyes. Our bodies produce less omega-3s than we need for optimal health, so it's important to get enough through food or supplements [\[R\]](#), [\[R\]](#), [\[R\]](#).

There are three major types of omega-3s: ALA, EPA, and DHA [\[R\]](#), [\[R\]](#).

Fatty fish are rich in EPA and DHA. They include [\[R\]](#):

- Salmon
- Tuna
- Herring
- Sardines

For optimal protection, try to get at least **two servings of fatty fish per week**. Fish oil supplements are available for those who don't eat fish regularly [\[R\]](#).

How it helps

Omega-3 fatty acids have anti-inflammatory effects, which can help reduce inflammation associated with systemic sclerosis and potentially limit further damage to tissues and organs.

25



Fruits And Vegetables

IMPACT

0 / 5

EVIDENCE

0 / 5

How to implement

Increase your intake of fruits and vegetables to at least five servings per day, aiming for a variety of types and colors to ensure a broad range of nutrients. Each serving size should roughly be the amount you can fit in one hand. Try to incorporate at least one serving of fruits or vegetables into every meal and snack throughout the day.

Description

A diet rich in fruits and vegetables provides essential nutrients, antioxidants, and dietary fiber. This combination supports overall health, helps maintain a healthy weight, and reduces the risk of chronic diseases such as heart disease and certain cancers.

How it helps

They are high in vitamins, minerals, and fiber, which support overall health and may help manage systemic sclerosis.

Remember, your genes only tell one important part of your health story!

Now that you've seen your DNA-based results for this health topic, let's take a look at other contributing factors.

Your lab results are impacted by the combined effect of your genes, environment and lifestyle.

Lab tests will give you the best picture of your current health status, while your genes provide insight into your health predispositions and which recommendations are best for you.

